

# eVS International Label API

**USPS Web Tools™**

**Application Programming Interface**

**User Guide**

**Version 3.10 (11/19/2024)**



## Table of Contents

<b>1.0</b>	<b>Introduction to Web Tools</b>	<b>3</b>
1.1	Before you get started:	3
<b>2.0</b>	<b>eVS Priority Mail Express International Label API</b>	<b>4</b>
2.1	Overview	4
2.1.1	API Signature	4
2.2	Request Descriptions	4
2.2.1	Sample Request	18
2.3	Response Descriptions	21
2.3.1	Sample Response	22
<b>3.0</b>	<b>eVS Priority Mail International Label API</b>	<b>24</b>
3.1	Overview	24
3.1.1	API Signature	24
3.2	Request Descriptions	24
3.2.1	Sample Request	38
3.3	Response Descriptions	41
3.3.1	Sample Response	43
<b>4.0</b>	<b>eVS First Class Mail International Label API</b>	<b>44</b>
4.1	Overview	44
4.1.1	API Signature	44
4.2	Request Descriptions	44
4.2.1	Sample Request	59
4.3	Response Descriptions	61
4.3.1	Sample Response	63
<b>5.0</b>	<b>eVS International Cancel API</b>	<b>64</b>
5.1	Overview	64
5.1.1	API Signature	65
5.2	Request Descriptions	65
5.2.1	Sample Request	65
5.3	Response Descriptions	65
5.3.1	Sample Response	66
<b>6.0</b>	<b>Appendices</b>	<b>67</b>
6.1	Appendix A	67
6.1.1	eVS International Label Example – Express Mail International (P.S. Form 2976-B)	67
6.1.2	eVS International Label Example – Priority Mail International (P.S. Form 2976-A)	68
6.1.3	eVS International Label Example – First Class Mail International (P.S. Form 2976)	69
6.2	Appendix B - Country Codes	70
6.3	Appendix C - Categories for International Shipping Regulatory Mandates	85

## 1.0 Introduction to Web Tools

This document contains a Reference Guide to the eVS international label APIs: Priority Mail Express International, Priority Mail International, and First Class Mail International (First Class Package International Service). See the [Developers Guide](#) to learn the administrative process for gaining access to the Web Tools APIs as well as the basic mechanism for calling the APIs and processing the results. The Developer's Guide also contains information on testing and troubleshooting.

**Note:** The Request Parameter sections present the XML input tags for generating live requests along with the restrictions on the values allowed. An error message will be returned if an incorrect value is entered. Also, be aware of the maximum character amounts allowed for some tags. If the user enters more than those amounts, an error will not be generated. The Web Tool will simply pass in the characters up to the maximum amount allowed and disregard the rest. This is important since the resulting value could prevent a correct response.

When building the XML request, pay particular attention to the order and case for tags. An error message will be returned if an incorrect value is entered. Remember that all data and attribute values in this document are for illustration purposes and are to be replaced by your actual values. For instance, a line of sample code may be:

```
<Pounds>2</Pounds>
```

In this instance, you will replace "2" with the weight in pounds for the package.

### 1.1 Before you get started:

The only option for creating labels through our APIs requires eVS setup/enrollment. In general, eVS:

- Requires 50 pieces or 50 pounds per mailing
- Requires a permit imprint
- Requires payment via ACH debit daily (no other forms of payment)
- Handles origin entered mail (no destination entry or presort)
- Requires enrollment and new Mailer IDs (MIDs) and permits
- Will do domestic/international/apo/fpo/dpo/US Territories

eVS, or Electronic Verification System, allows high-volume package mailers and package consolidators to document and pay postage, including special service fees, using electronic manifest files. The files are transmitted over the Internet to a Postal Service™ database. eVS is designed to make it easy for high-volume package mailers to take advantage of destination entry rates.

If you want to explore using eVS, please first contact the [eVS@usps.gov](mailto:eVS@usps.gov).

For registration please visit: <https://www.usps.com/postalone/evs.htm>. If that will not work for you, then you can follow up with [sales@usps.gov](mailto:sales@usps.gov) (or your local Postmaster or USPS Sales Manager) for additional solutions outside of the Web Tools API suite.

**Note:** The "Certify" API signatures are for testing purposes and will not generate usable labels and barcodes.

Whether you are a new or existing mailer, USPS strongly suggests a conversation with you to discuss your business requirements so your account will be properly configured. To initiate this conversation please contact the National Customer Support Center (NCSC) at 877-264-9693 Option 4 and request a referral to an Operations Integration Specialist (OIS) and Technical Integration Specialist (TIS). USPS will align the appropriate team to assist with swift onboarding.

Depending on your needs, your account may be configured in many flexible ways; however, each account will be configured with credentials in a master/child relationship. Minimally, credentials will be established as follows:

- A master Mailer ID is created
  - Child Mailer IDs are created for each origin site and may be created as needed by the requirements of your business units and brands.
- A permit number is created
  - Additional permit numbers may be created as needed by the requirements of your business units and brands

- A CAPS Debit account is created for payment processing
  - Additional CAPS Debit accounts may be created as needed

Your Operations Integration Specialist and Technical Integration Specialist will be involved at the local and national levels to ensure successful launch and introduction to appropriate production support teams.

For information on registering and getting started with Web Tools, please refer to the Step-By-Step guide found on the Web Tools [Technical Documentation Page](#).

**Note:** All Label APIs handle a pipe special character (“|”) as a space. Integrators are recommended to not include a pipe special character (“|”) in the API request. If a pipe is provided in the API request, Web Tools will treat as a space where applicable in the API XML response, label image, Shipping Partner Event File, and Shipping Services File.

**Note:** All Label APIs can accept a trademark symbol (“™”) in the XML request but any response from the API will strip the symbol from the text (e.g., Firm Name) and will not display the symbol on the printed labels.

## 2.0 eVS Priority Mail Express International Label API

### 2.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels and integrated customs forms.

**Note:** Scan form is eligible for eVS if HoldForManifest is set to ‘Y’ (Yes).

**Note:** The “eVSEXPRESSMAILINTLCERTIFY” API signature is for testing purposes and will not generate usable labels and barcodes.

#### 2.1.1 API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSEXPRESSMAILINTL	&XML=(see Tag Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSEXPRESSMAILINTLCERTIFY	&XML=(see Tag Descriptions below)

### 2.2 Request Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request	Required		(Alias)	
eVSEXPRESSMAILINTL Request / USERID	Required	This attribute specifies your Web Tools user ID. See the <a href="#">Developer's Guide</a> for information on obtaining your USERID. For Example: USERID="XXXXXXXX"	NMTOKEN	
eVSEXPRESSMAILINTL Request / PASSWORD	Required	This attribute specifies your Web Tools password. See the <a href="#">Developer's Guide</a> for information on your Password. For Example: PASSWORD="XXXXXXXX"	NMTOKEN	
eVSEXPRESSMAILINTL Request / Option	Optional	For future use.	Empty	
eVSEXPRESSMAILINTL Request / Revision	Optional	Use of value 2 Required as of January 2011. For example: <Revision>2</Revision>	String	minLength=0 pattern=\d{1} pattern=

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / ImageParameters	Optional	Groups alternate image options.	(Group)	
eVSEXPRESSMAILINTL Request / ImageParameters / ImageParameter	Optional, repeating up to 3 times	Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> <li>• 4X6LABEL (4X6 on a full page 8.5/11" background)</li> <li>• 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)</li> <li>• 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)</li> <li>• 4X6ZPL203DPI (ZPL - Zebra Programming Language) format</li> <li>• 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.</li> <li>•</li> </ul> For example: <ImageParameter>4X6LABEL</ImageParameter>	String	Enumerations= <ul style="list-style-type: none"> <li>• 4X6LABEL</li> <li>• 4X6LABELL</li> <li>• 4X6LABELP</li> <li>• 4X6ZPL203DPI</li> <li>• 4X6ZPL300DPI</li> </ul>
eVSEXPRESSMAILINTL Request / FromFirstName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName>	String	maxLength=30 minLength=0
eVSEXPRESSMAILINTL Request / FromMiddleInitial	Optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial>	String	maxLength=1
eVSEXPRESSMAILINTL Request / FromLastName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName>	String	maxLength=30 minLength=0
eVSEXPRESSMAILINTL Request / FromFirm	Required	FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm></FromFirm>	String	maxLength=32
eVSEXPRESSMAILINTL Request / FromAddress1	Optional	Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required. For example: <FromAddress1/>	String	maxLength=32

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / FromAddress2	Required	Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street </FromAddress2>	String	maxLength=32
eVSEXPRESSMAILINTL Request / FromUrbanization	Optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <FromUrbanization>URB Caparra Ter</FromUrbanization>	String	maxLength=32
eVSEXPRESSMAILINTL Request / FromCity	Required	For example: <FromCity>Anytown</FromCity>	String	maxLength=16 minLength=1
eVSEXPRESSMAILINTL Request / FromState	Required	Use 2-letter USPS state abbreviation. For example: <FromState>ST</FromState>	String	length=2
eVSEXPRESSMAILINTL Request / FromZip5	Required	Input tag exactly as presented, not all caps. 5 digits Required. For example: <FromZip5>01234</FromZip5>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSEXPRESSMAILINTL Request / FromZip4	Optional	Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension. For example: <FromZip4>5678</FromZip4>	String	whiteSpace=collapse length=4 pattern=\d{4}
eVSEXPRESSMAILINTL Request / FromPhone	Required	10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone>	String	whiteSpace=collapse length=10 pattern=\d{10}
eVSEXPRESSMAILINTL Request / FromCustomsRefer ence	Optional	Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustoms Reference>	String	maxLength=30
eVSEXPRESSMAILINTL Request / ToName	Optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	String	maxLength=36
eVSEXPRESSMAILINTL Request / ToFirstName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName>	String	maxLength=30
eVSEXPRESSMAILINTL Request / ToLastName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName>	String	maxLength=30
eVSEXPRESSMAILINTL Request / ToFirm	Required	ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm></ToFirm>	String	maxLength=36
eVSEXPRESSMAILINTL Request / ToAddress1	Optional	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1> Apartado 3068</ToAddress1>	String	maxLength=36 minLength=1

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / ToAddress2	Required	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2>	String	maxLength=36
eVSEXPRESSMAILINTL Request / ToAddress3	Optional	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress3></ToAddress3>	String	maxLength=36
eVSEXPRESSMAILINTL Request / ToCity	Required	Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity>	String	maxLength=18 minLength=1
eVSEXPRESSMAILINTL Request / ToProvince	Optional	Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince>	String	maxLength=9
eVSEXPRESSMAILINTL Request / ToCountry	Required	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. See the <a href="#">Index of Countries and Localities</a> . Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry>	String	minLength=1
eVSEXPRESSMAILINTL Request / ToPostalCode	Required	Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode>	String	maxLength=9
eVSEXPRESSMAILINTL Request / ToPOBoxFlag	Required	Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag>	String	Enumeration= • Y • N
eVSEXPRESSMAILINTL Request / ToPhone	Optional	No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag> For example: <ToPhone>011 52 (322) 222-0069</ToPhone>	String	maxLength=30
eVSEXPRESSMAILINTL Request / ToFax	Optional	No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax>	String	maxLength=30
eVSEXPRESSMAILINTL Request / ToEmail	Optional	Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail>	String	maxLength=30 whiteSpace=collapse pattern=([w\-\.\.]+)@((([w-]+\.)+)[a-zA-Z]{2,4}

Tag Name	Occurs	Description	Type	Validation
eVSExpressMailIntlRequest / ImportersReferenceNumber	Optional	Enter a value for the "Importer's Customs Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use.  <b>Note:</b> Requires <ImportersReferenceType> to be specified if used.  For example: <ImportersReferenceNumber>Order23432</ImportersReferenceNumber>	String	maxLength=28 Restriction enforced via truncation
eVSExpressMailIntlRequest / NonDeliveryOption	Optional	In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <FromAddress> above. "REDIRECT" to return package to address specified below in <AltReturn> tags. "ABANDON" to dispose of undeliverable package. For example: <NonDeliveryOption>RETURN</NonDeliveryOption>	String	enumeration= <ul style="list-style-type: none"> <li>• RETURN</li> <li>• REDIRECT</li> <li>• ABANDON</li> </ul>
eVSExpressMailIntlRequest / RedirectName	Optional	Enter a value for the recipient's name.	String	minOccurs=0
eVSExpressMailIntlRequest / RedirectEmail	Optional	Complete valid e-mail address is Required if tag is used.	String	minOccurs=0
eVSExpressMailIntlRequest / RedirectSMS	Optional	This value must be a syntactically-valid SMS number.	String	minOccurs=0
eVSExpressMailIntlRequest / RedirectAddress	Optional	Enter the redirect address. This is a free form field.	String	minOccurs=0 maxLength=48
eVSExpressMailIntlRequest / RedirectCity	Optional	Redirect city. For example: < RedirectCity >ANYTOWN</ RedirectCity >	String	minLength=0 maxLength=21
eVSExpressMailIntlRequest / RedirectState	Optional	Redirect state. For example: < RedirectState >MN</ RedirectState >	String	minLength=0 pattern=\w{2}
eVSExpressMailIntlRequest / RedirectZipCode	Optional	Redirect ZIP code. For example: < RedirectZipCode >12345</RedirectZipCode>	String	minLength=0 pattern=\d{5}
eVSExpressMailIntlRequest / RedirectZip4	Optional	Redirect ZIP+4 extension. For example: <RedirectZip4>01234</RedirectZip4>	String	minLength=0



Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / Container	Optional	Container type.	String	default=VARIABLE Enumerations= <ul style="list-style-type: none"> <li>• VARIABLE</li> <li>• FLATRATEENV</li> <li>• LEGALFLATRATE ENV</li> <li>• PADDEDFLATRA TEENV</li> </ul>
eVSEXPRESSMAILINTL Request / ShippingContents	Condition ally Required	Required only if a customs form is required based on Customs Content Type and Weight.	(Group)	
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail	Required repeating up to 30 times or optional	Required repeating up to 30 times if generating an Integrated Customs Form, otherwise not required	(Group)	
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Description	Required	Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> <b>Note:</b> Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other For example: <Description>Policy guidelines document</Description>	String	maxLength=30 minLength=2 whiteSpace=collapse
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Quantity	Required	Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity>	integer	minInclusive value="1" maxInclusive value="999"
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Value	Required	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value>	decimal	whiteSpace=collapse minExclusive=0
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / NetPounds	Required	Provide the pounds component of the weight of the individual item listed with <Description>. For example: <NetPounds>1</NetPounds>	integer	whiteSpace=collapse default=0

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / NetOunces	Required	Provide the ounces component of the weight of the individual item listed with <Description>. For example: <NetOunces>5</NetOunces>	decimal	default="0.0"
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / HSTariffNumber	Required	For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.  Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.  For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCCodeEnforced>="true") the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.  For example: <HSTariffNumber>4901.10.0000</HSTariffNumber>	String	whiteSpace=collapse maxLength=17 pattern=\d{0,12}
eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / CountryOfOrigin	Required	For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". <a href="http://pe.usps.gov/text/Imm/immctry.htm">http://pe.usps.gov/text/Imm/immctry.htm</a> – click on the link for "International Country Listings". Using a country name not on the list will result in a request failure. For example: <CountryOfOrigin>United States</CountryOfOrigin>	String	

Tag Name	Occurs	Description	Type	Validation
eVSExpressMailIntl Request / ShippingContents / ItemDetail / ItemCategory	Optional	Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	minLength=0 maxLength=100
eVSExpressMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory	Optional	Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	minLength=0 maxLength=100
eVSExpressMailIntl Request / InsuredNumber	Optional	For backward-compatibility; not validated.	String	
eVSExpressMailIntl Request / InsuredAmount	Optional	Use this tag for entering an insurance amount, if known. For example: <InsuredAmount>100.00</InsuredAmount>	String	length=0
eVSExpressMailIntl Request / Postage	Optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage> or <Postage>10.50</Postage>	String	length=0
eVSExpressMailIntl Request / GrossPounds	Required	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds>	integer	whiteSpace=collapse
eVSExpressMailIntl Request / GrossOunces	Required	Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces>	integer	maxLength=3

Tag Name	Occurs	Description	Type	Validation
eVSExpressMailIntlRequest / ContentType	Required	Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentType> Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to \$100, though Insurance will not be returned as an extra service. Additional Insurance cannot be purchased. Any non-document ContentType values are insured automatically for up to \$200. Additional Insurance can be purchased for values \$200 and greater.	String	Enumerations= <ul style="list-style-type: none"> <li>• MERCHANDISE</li> <li>• SAMPLE</li> <li>• GIFT</li> <li>• DOCUMENTS</li> <li>• RETURN</li> <li>• HUMANITARIAN</li> <li>• CrematedRemains</li> <li>• NonnegotiableDocument</li> <li>• PHARMACEUTICALS</li> <li>• MEDICALSUPPLIES</li> <li>• OTHER</li> </ul>
eVSExpressMailIntlRequest / ContentTypeOther	Optional	Required when <ContentType>OTHER<ContentType>.	String	maxLength=15 whiteSpace=collapse
eVSExpressMailIntlRequest / Agreement	Required	Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error.	String	Enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>
eVSExpressMailIntlRequest / Comments	Optional	Enter any comments. For example: <Comments></Comments>	String	maxLength=76
eVSExpressMailIntlRequest / LicenseNumber	Optional	Enter license number, if known or if included in package. For example: <LicenseNumber>LIC-24356879</LicenseNumber>	String	maxLength=24
eVSExpressMailIntlRequest / CertificateNumber	Optional	Enter certificate number, if known or if included in package. For example: <CertificateNumber>CERT-97865342</CertificateNumber>	String	maxLength=24
eVSExpressMailIntlRequest / InvoiceNumber	Optional	Enter invoice number, if known or if included in package. For example: <InvoiceNumber>INV-040903</InvoiceNumber>	String	maxLength=24
eVSExpressMailIntlRequest / ImageType	Required	For example: <ImageType>PDF</ImageType>	String	enumeration= <ul style="list-style-type: none"> <li>• PDF</li> <li>• TIF</li> <li>• NONE</li> </ul>

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / ImageLayout	Optional	Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while "ALLINONEFILE" returns all pages in a single response tag. The "TRIM" options conserve page space if possible by combining two form parts on a single page. For example: <ImageLayout>ONEPERFILE<ImageLayout >	String	default=ONEPERFILE enumerations= <ul style="list-style-type: none"> <li>ONEPERFILE</li> <li>ALLINONEFILE</li> <li>TRIMONEPERFILE</li> <li>TRIMALLINONEFILE</li> </ul>
eVSEXPRESSMAILINTL Request / CustomerRefNo	Optional	Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref369246</CustomerRefNo>	String	maxLength=30
eVSEXPRESSMAILINTL Request / CustomerRefNo2	Optional	Written to Postal Manifest Detail record. For example: <CustomerRefNo2>ACT369246</CustomerRefNo2>	String	maxLength=30
eVSEXPRESSMAILINTL Request / POZipCode	Optional	ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSEXPRESSMAILINTL Request / LabelDate	Optional	Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate>	String	whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)?
eVSEXPRESSMAILINTL Request / EMCAAccount	Optional	For future use. USPS Corporate Account		minOccurs=0
eVSEXPRESSMAILINTL Request / HoldForManifest	Optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	String	enumeration= <ul style="list-style-type: none"> <li>Y</li> <li>N</li> </ul>
eVSEXPRESSMAILINTL Request / EELPFC	Optional repeating up to 1 times	Exemption and Exclusion Legend or PFC Code. Please refer to the International Mail Manual for further information: <a href="http://pe.usps.gov/text/imm/immc5_007.htm">http://pe.usps.gov/text/imm/immc5_007.htm</a> . For example: <EELPFC>30.37a</EELPFC>	String	minOccurs=0 maxOccurs=1
eVSEXPRESSMAILINTL Request / PriceOptions	Optional	Indicates if commercial-base price should be returned. For commercial-base price eligibility, please reference the Domestic Mail Manual at <a href="http://pe.usps.com/">http://pe.usps.com/</a> .	String	default=COMMERCIAL BASE enumeration= <ul style="list-style-type: none"> <li>COMMERCIAL PLUS</li> <li>COMMERCIAL BASE</li> </ul>

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / Length	Optional	<p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.</p>	String	minOccurs=0 totalDigits=10
eVSEXPRESSMAILINTL Request / Width	Optional	<p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.</p>	String	minOccurs=0 totalDigits=10
eVSEXPRESSMAILINTL Request / Height	Optional	<p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.</p>	String	minOccurs=0 totalDigits=10

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / Girth	Optional	Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.  Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.	String	minOccurs=0 totalDigits=10
eVSEXPRESSMAILINTL Request / LabelTime	Optional	Available if <Revision>= 2. LabelTime is used in conjunction with LabelDate to determine the Guarantee	String	Format hh:mm
eVSEXPRESSMAILINTL Request / MeterPaymentFlag	Optional	Meter payment indicator	String	Default=N Enumerations: • N • Y
eVSEXPRESSMAILINTL Request / ActionCode	Optional	Used to specify the action code. Value is passed to Shipping Partner Event file via the shipment manifest. M0 – Mailer Owner S0 – Service Provider For example: <ActionCode>M0</ActionCode>	String	Default = M0 enumeration= • M0 • S0 • "space"
eVSEXPRESSMAILINTL Request / OptOutOfSPE	Optional	Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file.	Boolean	Default = true enumeration= • true • false
eVSEXPRESSMAILINTL Request / PermitNumber	Optional	Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings	String	minOccurs=0
eVSEXPRESSMAILINTL Request / ImportersReference Type	Conditionally Required	Tax code / VAT no. / Importer Code  <b>Note:</b> Required when <ImportersReferenceNumber> is used.	String	minOccurs=0 enumeration= • TAXCODE • VAT • IMPORTERCODE
eVSEXPRESSMAILINTL Request / ImportersTelephone Number	Optional	For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234. For example: <FromPhone>2125551234</FromPhone>	String	whiteSpace=collapse length=10 pattern=\d{10}

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTLRequest / ImportersFaxNumber	Optional	For Importer: No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax>	String	maxLength=30
eVSEXPRESSMAILINTLRequest / ImportersEmail	Optional	For Importer: Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail>	String	maxLength=30 whiteSpace=collapse pattern=([w\-\.,+])@(([w-]+\.)+)[a-zA-Z]{2,4}
eVSEXPRESSMAILINTLRequest / Machinable	Optional	Indicates whether or not the item is machinable. For example: <Machinable>>false</Machinable>	Boolean	default=true whiteSpace=collapse
eVSEXPRESSMAILINTLRequest / DestinationRateIndicator	Required	Required for destination entry packagesenter either "I" or "N". I= International Service Center (ISC) N = None	String	enumerations= • I • N
eVSEXPRESSMAILINTLRequest / MID	Optional	Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID>	String	Length=6 or 9 positions, if populated
eVSEXPRESSMAILINTLRequest / LogisticsManagerMID	Optional	The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID>	String	Length=6 or 9 positions, if populated
eVSEXPRESSMAILINTLRequest / CRID	Optional	Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID>	String	minLength=0 maxLength=15
eVSEXPRESSMAILINTLRequest / VendorCode	Optional	Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode>	String	minLength=0 maxLength=4 default=8300
eVSEXPRESSMAILINTLRequest / VendorProductVersionNumber	Optional	Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber>	String	minLength=0 maxLength=8



Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTL Request / ePostageMailerRep orting	Optional	Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF ) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID)	String	enumerations= • 1 • 2 • 3
eVSEXPRESSMAILINTL Request / SenderFirstName	Optional	First Name of Sender. For example: <SenderFirstName>Adam </SenderFirstName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=49
eVSEXPRESSMAILINTL Request / SenderLastName	Optional	Last Name of Sender. For example: <SenderLastName>Smith </SenderLastName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=75
eVSEXPRESSMAILINTL Request / SenderBusinessNa me	Optional	Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</SenderBusi nessName>	String	minLength=0 maxLength=100
eVSEXPRESSMAILINTL Request / SenderAddress1	Optional	Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=148
eVSEXPRESSMAILINTL Request / SenderCity	Optional	Sender city. For example: <SenderCity>BETHESDA</SenderCity>Req uired when <ePostageMailerReporting>=1	String	minLength=0 maxLength=50
eVSEXPRESSMAILINTL Request / SenderState	Optional	Sender state. For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=2
eVSEXPRESSMAILINTL Request / SenderZip5	Optional	Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(5)
eVSEXPRESSMAILINTL Request / SenderPhone	Optional	Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone > Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(10)

Tag Name	Occurs	Description	Type	Validation
eVSEExpressMailIntlRequest / SenderEmail	Optional	E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=([w\-\.\.+]@([w-]+\.)+)[a-zA-Z]{2,4}
eVSEExpressMailIntRequest	Required		(Alias)	

### 2.2.1 Sample Request

```

Request: eVSEExpressMailIntl
<eVSEExpressMailIntlRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option></Option>
<Revision>2</Revision>
<ImageParameters></ImageParameters>
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm></FromFirm>
<FromAddress1></FromAddress1>
<FromAddress2>7 North Wilke-Barre Blvd</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Australia</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName></RedirectName>
<RedirectEmail></RedirectEmail>
<RedirectSMS></RedirectSMS>
<RedirectAddress></RedirectAddress>
<RedirectCity></RedirectCity>
<RedirectState></RedirectState>
<RedirectZIPCode>MEXICO</RedirectZIPCode>
<Container>VARIABLE</Container>
    
```

```

<ShippingContents>
<ItemDetail>
<Description>Policy guidelines document</Description>
<Quantity>1</Quantity>
<Value>55.00</Value>
<NetPounds>1</NetPounds>
<NetOunces>5</NetOunces>
<HSTariffNumber>490110</HSTariffNumber>
<CountryOfOrigin>United States</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<CustomerRefNo>Ref 369246</CustomerRefNo>
<CustomerRefNo2>ACT 369246</CustomerRefNo2>
<POZipCode>00962</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<Length>20.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth>6.25</Girth>
<LabelTime>14:24:13</LabelTime>
<MeterPaymentFlag>N</MeterPaymentFlag>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSExpressMailIntlRequest>

```

**eVS Express Mail International w/ HS Tarriff Number & Tags**

```

<eVSExpressMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<Option></Option>
<Revision>2</Revision>
<ImageParameters>
<ImageParameter>4BY6LABEL</ImageParameter>
</ImageParameters>
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm></FromFirm>
<FromAddress1></FromAddress1>
<FromAddress2>430 blackman st.</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>

```

```
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Ireland</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName>BOB Meier</RedirectName>
<RedirectEmail>bob@mailinator.com</RedirectEmail>
<RedirectSMS>5708251341</RedirectSMS>
<RedirectAddress>7 wilkes Barre</RedirectAddress>
<RedirectCity>Wilkes Barre</RedirectCity>
<RedirectState>PA</RedirectState>
<RedirectZIPCode>18702</RedirectZIPCode>
<RedirectZIP4>5150</RedirectZIP4>
<Container>VARIABLE</Container>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
```

```

<CustomerRefNo>Ref #369246</CustomerRefNo>
<POZipCode>00962</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<Size>LARGE</Size>
<Length>20.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth>6.25</Girth>
<LabelTime>14:24:13</LabelTime>
<MeterPaymentFlag>N</MeterPaymentFlag>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSExpressMailIntlCertifyRequest>
    
```

### 2.3 Response Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSExpressMailIntlResponse	Required		(Alias)	
eVSExpressMailIntlResponse/Postage	Required	Postage amount	Decimal	
eVSExpressMailIntlResponse/TotalValue	Required	Value of all items being shipped	Decimal	
eVSExpressMailIntlResponse/SDRValue	Required	Special Drawing Right calculated on Insured Amount	Decimal	
eVSExpressMailIntlResponse/BarcodeNumber	Required	Mail service related barcode.	String	
eVSExpressMailIntlResponse/LabelImage	Required	Encoded images of label (may be empty depending upon layout option selected)	String	
eVSExpressMailIntlResponse/Page2Image	Required	Encoded images of label (may be empty depending upon layout option selected)	String	
eVSExpressMailIntlResponse/Page3Image	Required	Encoded images of label (may be empty depending upon layout option selected)	String	
eVSExpressMailIntlResponse/Page4Image	Required	Encoded images of label (may be empty depending upon layout option selected)	String	
eVSExpressMailIntlResponse/Page5Image	Required	Encoded images of label (may be empty depending upon layout option selected)	String	
eVSExpressMailIntlResponse/Page6Image	Required	Encoded images of label (may be empty depending upon layout option selected)	String	

Tag Name	Occurs	Description	Type	Validation
eVSEXPRESSMAILINTLRESPONSE/Prohibitions	Required	List of items prohibited from mailing based on country of destination	String	
eVSEXPRESSMAILINTLRESPONSE/Restrictions	Required	Restrictions on items being shipped based on country of destination	String	
eVSEXPRESSMAILINTLRESPONSE/Observations	Required	Additional mailing information based on country of destination	String	
eVSEXPRESSMAILINTLRESPONSE/Regulations	Required	Additional regulations for shipping to destination country	String	
eVSEXPRESSMAILINTLRESPONSE/AdditionalRestrictions	Required	Additional restrictions on items being shipped to destination country	String	
eVSEXPRESSMAILINTLRESPONSE/InsuranceFee	Optional	Insurance Fee	Decimal	minExclusive=0.0 maxInclusive=5000
eVSEXPRESSMAILINTLRESPONSE/DestinationBarcodeNumber	Optional	Appears if mail class is available.	String	minOccurs=0
eVSEXPRESSMAILINTLRESPONSE/GuaranteeAvailability	Optional	Appears if ToPostalCode and LabelTime are available. The value will be the GuaranteeDate or a message.	String	If an estimated scheduled delivery date is available, the format will be MM/DD/YYYY e.g, 03/15/2015  If an estimated scheduled delivery date is not available, the format will be a String, e.g., 3 - 5 business days to many major markets
eVSEXPRESSMAILINTLRESPONSE/RemainingBarcodes	Required	This contains the number of remaining barcodes that can be generated for this particular request.	String	
eVSEXPRESSMAILINTLRESPONSE/Warning	Optional		String	
eVSEXPRESSMAILINTLRESPONSE	Required		(Alias)	

### 2.3.1 Sample Response

```

Response:eVSEXPRESSMAILINTL
<eVSEXPRESSMAILINTLRESPONSE>
<Postage>66.21</Postage>
<TotalValue>55.00</TotalValue>
<SDRValue>65.80</SDRValue>
    
```

<BarcodeNumber>EC502016320US</BarcodeNumber>

<LabelImage>.....removed.....</LabelImage>

<Page2Image>.....removed.....</Page2Image>

<Page3Image>.....removed.....</Page3Image>

<Page4Image>.....removed.....</Page4Image>

<Page5Image>.....removed.....</Page5Image>

<Page6Image></Page6Image>

<Prohibitions>

Coins; bank notes; currency notes (paper money); securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver (except for jewelry items meeting the requirement in "Restrictions" below); precious stones (except when contained in jewelry items meeting the requirement in "Restrictions" below); and other valuable articles are prohibited.

Fruit cartons (used or new).

Goods bearing the name "Anzac."

Goods produced wholly or partly in prisons or by convict labor.

Most food, plant, and animal products, including the use of products such as straw and other plant material as packing materials.

Perishable infectious biological substances.

Radioactive materials.

Registered philatelic articles with fictitious addresses.

Seditious literature.

Silencers for firearms.

Used bedding.

</Prohibitions>

<Restrictions>

Jewelry is permitted only when sent as an insured parcel using Priority Mail International service. In addition, Australian Customs regulations prohibit importation of jewelry that is made with ivory or from endangered species, such as snake, elephant, or crocodile, that does not have an accompanying Import/Export Permit in relation to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).

Meat and other animal products; powdered or concentrated milk; and other dairy products requires permission to import from the Australian quarantine authorities.

Permission of the Australian Director-General of Health is Required to import medicines.

</Restrictions>

<Observations>Duty may be levied on catalogs, price lists, circulars, and all advertising introduced into Australia through the mail, regardless of the class of mail used.</Observations>

<Regulations>

Country Code:

AU

Reciprocal Service Name:

Express Post

Required Customs Form/Endorsement

1. Business and commercial papers.

No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.

2. Merchandise samples without commercial value microfilm, microfiche, and computer data.

PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.

3. Merchandise and all articles subject to customs duty.

PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.

Note:

1. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Australia.

2. Priority Mail Express International With Guarantee service - which offers a date-certain, postage-refund guarantee - is available to Australia.

Areas Served:

```

All except Lord Howe Island and the Australian Antarctic territories.
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<InsuranceFee>0</InsuranceFee>
<GuaranteeAvailability>03/11/2015</GuaranteeAvailability>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSExpressMailIntlResponse>
    
```

## 3.0 eVS Priority Mail International Label API

### 3.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels given the weight and dimensions of the item.

**Note:** The “eVSPriorityMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

#### 3.1.1 API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSPriorityMailIntl	&XML=(see Tag Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSPriorityMailIntl Certify	&XML=(see Tag Descriptions below)

### 3.2 Request Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request	Required	Produces a Priority Mail International label with customs declaration	(Alias)	
eVSPriorityMailIntl Request / USERID	Required	This attribute specifies your Web Tools user ID. See the <a href="#">Developer's Guide</a> for information on obtaining your USERID. For Example: USERID="XXXXXXX"	NMTOKEN	
eVSPriorityMailIntl Request / PASSWORD	Required	This attribute specifies your Web Tools password. See the <a href="#">Developer's Guide</a> for information on your Password. For Example: PASSWORD="XXXXXXX"	NMTOKEN	
eVSPriorityMailIntl Request / Option	Optional	For future use.	Empty	
eVSPriorityMailIntl Request / Revision	Required	Use of value <b>2</b> Required as of January 2011. For example: <Revision>2</Revision>	String	
eVSPriorityMailIntl Request / ImageParameters	Optional	Groups alternate image options.	(Group)	minoccurs=0



Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlRequest / ImageParameters / ImageParameter	Optional, repeating up to 3 times	Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> <li>4X6LABEL (4X6 on a full page 8.5/11" background)</li> <li>4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)</li> <li>4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)</li> <li>4X6ZPL203DPI (ZPL - Zebra Programming Language) format</li> <li>4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.</li> </ul> For example: <ImageParameter>4X6LABEL</ImageParameter>	String	Enumerations= <ul style="list-style-type: none"> <li>4X6LABEL</li> <li>4X6LABELL</li> <li>4X6LABELP</li> <li>4X6ZPL203DPI</li> <li>4X6ZPL300DPI</li> </ul>
eVSPriorityMailIntlRequest / FromFirstName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName>	String	maxLength=30 minLength=1
eVSPriorityMailIntlRequest / FromMiddleInitial	Optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial>	String	maxLength=1
eVSPriorityMailIntlRequest / FromLastName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName>	String	maxLength=30 minLength=1
eVSPriorityMailIntlRequest / FromFirm	Required	FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm>XYZ</FromFirm>	String	maxLength=32
eVSPriorityMailIntlRequest / FromAddress1	Optional	Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required. For example: <FromAddress1>Suite 100</FromAddress1>	String	maxLength=32
eVSPriorityMailIntlRequest / FromAddress2	Required	Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street</FromAddress2>	String	maxLength=32 minLength=1 whiteSpace=collapse

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / FromUrbanization	Optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <FromUrbanization>URB Caparra Ter</FromUrbanization>	String	maxLength=32
eVSPriorityMailIntl Request / FromCity	Required	For example: <FromCity>Anytown</FromCity>	String	maxLength=16 minLength=1
eVSPriorityMailIntl Request / FromState	Required	Use 2-letter USPS abbreviation. For example: <FromState>ST</FromState>	String	length=2
eVSPriorityMailIntl Request / FromZip5	Required	Input tag exactly as presented, not all caps. 5 digits Required. For example: <FromZip5>01234</FromZip5>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSPriorityMailIntl Request / FromZip4	Optional	Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension. For example: <FromZip4>5678</FromZip4>	String	whiteSpace=collapse length=4 pattern=\d{4}
eVSPriorityMailIntl Request / FromPhone	Required	10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone>	String	whiteSpace=collapse length=10 pattern=\d{10}
eVSPriorityMailIntl Request / FromCustomsReference	Optional	Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference>	String	maxLength=30
eVSPriorityMailIntl Request / ToName	Optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	String	maxLength=36
eVSPriorityMailIntl Request / ToFirstName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName>	String	maxLength=30
eVSPriorityMailIntl Request / ToLastName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName>	String	maxLength=30
eVSPriorityMailIntl Request / ToFirm	Required	ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm>YYZ</ToFirm>	String	maxLength=36
eVSPriorityMailIntl Request / ToAddress1	Optional	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1> Apartado 3068</ToAddress1>	String	maxLength=36 minLength=1

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / ToAddress2	Required	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2>	String	maxLength=36
eVSPriorityMailIntl Request / ToAddress3	Optional	Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress3></ToAddress3>	String	maxLength=36
eVSPriorityMailIntl Request / ToCity	Required	Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity>	String	maxLength=18 minLength=1
eVSPriorityMailIntl Request / ToProvince	Optional	Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince>	String	maxLength=9
eVSPriorityMailIntl Request / ToCountry	Required	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. ( <a href="http://pe.usps.gov/text/lmm/lmmctry.htm">http://pe.usps.gov/text/lmm/lmmctry.htm</a> - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry>	String	minLength=1
eVSPriorityMailIntl Request / ToPostalCode	Required	Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode>	String	maxLength=9
eVSPriorityMailIntl Request / ToPOBoxFlag	Required	Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag>	String	enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>
eVSPriorityMailIntl Request / ToPhone	Optional	No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag> For example: <ToPhone>011 52 (322) 222-0069</ToPhone>	String	maxLength=30
eVSPriorityMailIntl Request / ToFax	Optional	No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax>	String	maxLength=30
eVSPriorityMailIntl Request / ToEmail	Optional	Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail>	String	maxLength=30 whiteSpace=collapse pattern=([w\-\.\.]+)@(([w\-\.\.]+)+[a-zA-Z]{2,4})

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlRequest / ImportersReferenceNumber	Optional	Enter a value for the "Recipient's Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use.  <b>Note:</b> Requires <ImportersReferenceType> to be specified if used.  For example: <ImportersReferenceNumber>Order23432</ImportersReferenceNumber>	String	maxLength=28 Restriction enforced via truncation
eVSPriorityMailIntlRequest / NonDeliveryOption	Optional	In case package is undeliverable, enter one of the following: <ul style="list-style-type: none"> <li>"RETURN" for package to be returned to &lt;FromAddress&gt; above.</li> <li>"REDIRECT" to return package to address specified below in &lt;AltReturn...&gt; tags.</li> <li>"ABANDON" to dispose of undeliverable package.</li> </ul> For example: <NonDeliveryOption>RETURN</NonDeliveryOption>	String	default=ABANDON enumeration= <ul style="list-style-type: none"> <li>RETURN</li> <li>REDIRECT</li> <li>ABANDON</li> </ul>
eVSPriorityMailIntlRequest / RedirectName	Optional		String	Minoccurs=0
eVSPriorityMailIntlRequest / RedirectName	Optional	Enter a value for the recipient's name.	String	minOccurs=0
eVSPriorityMailIntlRequest / RedirectEmail	Optional	Complete valid e-mail address is Required if tag is used.	String	minOccurs=0
eVSPriorityMailIntlRequest / RedirectSMS	Optional	This value must be a syntactically-valid SMS number.	String	minOccurs=0
eVSPriorityMailIntlRequest / RedirectAddress	Optional	Enter the redirect address. This is a free form field.	String	minOccurs=0 maxLength=48
eVSPriorityMailIntlRequest / RedirectCity	Optional	Redirect city. For example: <T RedirectCity >ANYTOWN</RedirectCity >	String	minLength=0 maxLength=21
eVSPriorityMailIntlRequest / RedirectState	Optional	Redirect state. For example: < RedirectState >MN</RedirectState>	String	minLength=0 pattern=\w{2}
eVSPriorityMailIntlRequest / RedirectZipCode	Optional	Redirect ZIP code. For example: < RedirectZipCode >12345</RedirectZipCode>	String	minLength=0 pattern=\d{5}
eVSPriorityMailIntlRequest / RedirectZip4	Optional	Redirect ZIP+4 extension. For example: <ToZip5>01234</ToZip5>	String	minLength=0

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / Container	Optional	For example: <Container>MDFLATRATEBOX</Container> Otherwise, use to specify special containers or container attributes that may affect postage.	String	default=VARIABLE enumerations=VARIABLE <ul style="list-style-type: none"> <li>• LGFLATRATEBOX</li> <li>• SMFLATRATEBOX</li> <li>• MDFLATRATEBOX</li> <li>• FLATRATEENV</li> <li>• LEGALFLATRATEENV</li> <li>• PADDEDFLATRATEENV</li> <li>• SMFLATRATEENV</li> <li>• WINDOWFLATRATEENV</li> <li>• GIFTCARDFLATRATEENV</li> <li>• LGVIDEOBOX</li> <li>• RECTANGULAR</li> <li>• FLATRATEENV</li> <li>• NONRECTANGULAR</li> </ul>
eVSPriorityMailIntl Request / ShippingContents	Required		(Group)	
eVSPriorityMailIntl Request / ShippingContents / ItemDetail	Required repeating up to 30 times	Groups individual item details	(Group)	
eVSPriorityMailIntl Request / ShippingContents / ItemDetail / Description	Required	Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> <b>Note:</b> Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other For example: <Description>Policy guidelines document</Description>	String	maxLength=30 minLength=2 whiteSpace=collapse
eVSPriorityMailIntl Request / ShippingContents / ItemDetail / Quantity	Required	Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity>	Integer	whiteSpace=collapse minExclusive=0

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / Value	Required	The data entered with this tag provides the value of the set of items. For example: If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value>	Decimal	whiteSpace=collapse minExclusive=0
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / NetPounds	Required	Provide the pounds component of the weight of the individual item listed with <Description>. For example: <NetPounds>1</NetPounds>	Integer	default=0 whiteSpace=collapse
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / NetOunces	Required	Provide the ounces component of the weight of the individual item listed with <Description>. For example: <NetOunces>5</NetOunces>	Decimal	default=0.0 whiteSpace=collapse
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / HSTariffNumber	Required	For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.  Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.  For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>="true") the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.  For example: <HSTariffNumber>4901.10.0000</HSTariffNumber>	String	whiteSpace=collapse maxLength=17 pattern=\d{0,12}

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / CountryOfOrigin	Required	For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". ( <a href="http://pe.usps.gov/text/lmm/lmmctry.htm">http://pe.usps.gov/text/lmm/lmmctry.htm</a> - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <CountryOfOrigin>United States</CountryOfOrigin>	String	
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / ItemCategory	Optional	Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	
eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / ItemSubCategory	Optional	Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	
eVSPriorityMailIntlRequest / Insured	Optional	Restricted use: authorized users may indicate with a value of Y that the item is insured for purposes of obtaining a barcode number from the insured range. All other users must specify N or omit.	String	default=N enumeration= • Y • N
eVSPriorityMailIntlRequest / InsuredNumber	Optional	For backward-compatibility; not validated.	String	
eVSPriorityMailIntlRequest / InsuredAmount	Optional	Use this tag for entering an insurance amount, if known. For example: <InsuredAmount>100.00</InsuredAmount>	Decimal	length=0



Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / Postage	Optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage>	Decimal	length=0
eVSPriorityMailIntl Request / GrossPounds	Required	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. WebTools will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds>	Integer	whiteSpace=collapse
eVSPriorityMailIntl Request / GrossOunces	Required	Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces>	Integer	whiteSpace=collapse
eVSPriorityMailIntl Request / ContentType	Required	Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentType> Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to \$100. Additional Insurance cannot be purchased. Any non-document ContentType values are insured automatically for up to \$200. Additional Insurance can be purchased for values \$200 and greater.	String	enumerations= <ul style="list-style-type: none"> <li>• MERCHANDISE</li> <li>• SAMPLE</li> <li>• GIFT</li> <li>• DOCUMENTS</li> <li>• RETURN</li> <li>• HUMANITARIAN</li> <li>• NonnegotiableDocument</li> <li>• PHARMACEUTICALS</li> <li>• MEDICALSUPPLIES</li> <li>• OTHER</li> </ul>
eVSPriorityMailIntl Request / ContentTypeOther	Optional	Required when <ContentType>OTHER<ContentType>. Maximum length enforced via truncation	String	maxLength=15 whiteSpace=collapse
eVSPriorityMailIntl Request / Agreement	Required	Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error.	String	enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>
eVSPriorityMailIntl Request / Comments	Optional	Enter any comments. For example: <Comments></Comments>	String	maxLength=76
eVSPriorityMailIntl Request / LicenseNumber	Optional	Enter license number, if known or if included in package. For example: <LicenseNumber>LIC-24356879</LicenseNumber>	String	maxLength=24



Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / CertificateNumber	Optional	Enter certificate number, if known or if included in package. For example: <CertificateNumber>CERT-97865342</CertificateNumber>	String	maxLength=24
eVSPriorityMailIntl Request / InvoiceNumber	Optional	Enter invoice number, if known or if included in package. For example: <InvoiceNumber>INV-040903</InvoiceNumber>	String	maxLength=24
eVSPriorityMailIntl Request / ImageType	Required	For example: <ImageType>PDF</ImageType>	String	enumeration= <ul style="list-style-type: none"> <li>• PDF</li> <li>• TIF</li> <li>• NONE</li> </ul>
eVSPriorityMailIntl Request / ImageLayout	Optional	Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while "ALLINONEFILE" returns all pages in a single response tag. The "TRIM" options conserve page space if possible by combining two form parts on a single page. For example: <ImageLayout>ONEPERFILE</ImageLayout>	String	default=ONEPERFILE enumerations= <ul style="list-style-type: none"> <li>• ONEPERFILE</li> <li>• ALLINONEFILE</li> <li>• TRIMONEPERFILE</li> <li>• TRIMALLINONEFILE</li> </ul>
eVSPriorityMailIntl Request / CustomerRefNo	Optional	Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref369246</CustomerRefNo>	String	maxLength=30
eVSPriorityMailIntl Request / CustomerRefNo2	Optional	Written to Postal Manifest Detail record. For example: <CustomerRefNo2>ACT369246</CustomerRefNo2>	String	maxLength=30
eVSPriorityMailIntl Request / POZipCode	Optional	ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSPriorityMailIntl Request / LabelDate	Optional	Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate>	String	whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d{1,2}
eVSPriorityMailIntl Request / HoldForManifest	Optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	String	enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntl Request / EELPFC	Optional	Exemption and Exclusion Legend or PFC Code. Use in conjunction with Revision tag with value of 1 to indicate and trigger new functionality. Please refer to the International Mail Manual for further information - <a href="http://pe.usps.gov/text/imm/immc5_007.htm">http://pe.usps.gov/text/imm/immc5_007.htm</a> . To activate check boxes use "30.37a" or "30.37h". For example: <EELPFC>30.37a</EELPFC>	String	whiteSpace=collapse minLength=0 maxLength=35
eVSPriorityMailIntl Request / PriceOptions	Optional	Price option for package.	String	default=commercial base enumeration= <ul style="list-style-type: none"> <li>• RETAIL</li> <li>• COMMERCIAL BASE</li> <li>• COMMERCIAL PLUS</li> </ul>
eVSPriorityMailIntl Request / Length	Optional	Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.	Decimal	minExclusive=0.0 totalDigits=10
eVSPriorityMailIntl Request / Width	Optional	Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. <b>Example:</b> <Width>5</Width> <Length></Length> <Height>8</Height> Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.	Decimal	minExclusive=0.0 totalDigits=10

Tag Name	Occurs	Description	Type	Validation				
eVSPriorityMailIntl Request / Height	Optional	Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing	Decimal	minExclusive=0.0 totalDigits=10				
eVSPriorityMailIntl Request / Girth	Optional	Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing	Decimal	minExclusive=0.0 totalDigits=10				
eVSPriorityMailIntl Request / ExtraServices	Optional	Groups extra services elements	(Group)					
eVSPriorityMailIntl Request / ExtraServices / ExtraService	Optional	Parameters used to specify desired ExtraService. Additional occurrences for future. Note: The <InsuredAmount> tag is used to indicate insurance. <table border="1" data-bbox="602 1318 987 1493"> <thead> <tr> <th>Extra Service Name</th> <th>Service ID</th> </tr> </thead> <tbody> <tr> <td>e-USPS Return Receipt</td> <td>105</td> </tr> </tbody> </table> For example: <ExtraService>105</ExtraService>	Extra Service Name	Service ID	e-USPS Return Receipt	105	String	whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>105</li> </ul>
Extra Service Name	Service ID							
e-USPS Return Receipt	105							
eVSPriorityMailIntl Request / ActionCode	Optional	Used to specify the action code. Value is included in the Shipping Partner Event file for customers who have chose to have a Shipping Partner Event file submitted to USPS on their behalf. M0 – Mailer Owner S0 – Service Provider For example: <ActionCode>M0</ActionCode>	String	Default = M0 enumeration= <ul style="list-style-type: none"> <li>M0</li> <li>S0</li> </ul>				

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailInt Request / OptOutOfSPE	Optional	Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file.	Boolean	Default = true enumeration= <ul style="list-style-type: none"> <li>true</li> <li>false</li> </ul>
eVSPriorityMailInt Request / PermitNumber	Optional	Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings	String	minOccurs=0
eVSPriorityMailInt Request / AccountZipCode	Optional	ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: < AccountZipCode >00962</ AccountZipCode >	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSPriorityMailInt Request / ImportersReferenceType	Conditionally Required	Tax code / VAT no. / Importer Code <b>Note:</b> Required when <ImportersReferenceNumber> is used.	String	minOccurs=0 Enumerations= <ul style="list-style-type: none"> <li>TAXCODE</li> <li>VAT</li> <li>IMPORTERCODE</li> </ul>
eVSPriorityMailInt Request / ImportersTelephoneNumber	Optional	For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234. For example: <FromPhone>2125551234</FromPhone>	String	whiteSpace=collapse length=10 pattern=\d{10}
eVSPriorityMailInt Request / ImportersFaxNumber	Optional	For Importer: No format checking is done on international fax numbers. For example: <ImportersFaxNumber>011 52 (322) 222-0074</ImportersFaxNumber>	String	maxLength=30
eVSPriorityMailInt Request / ImportersEmail	Optional	For Importer: Complete valid e-mail address is Required if tag is used. For example: <ImportersEmail>cpapple@email.com</ImportersEmail >	String	maxLength=30 whiteSpace=collapse pattern=(\w-\.\.+)@((\w-]+\.)+)[a-zA-Z]{2,4}
eVSPriorityMailInt Request / Machinable	Optional	Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See <a href="#">International Mail Manual (IMM) Section 241</a> for more information. For example: <Machinable>>false</Machinable>	Boolean	default=true whiteSpace=collapse
eVSPriorityMailInt Request / DestinationRateIndicator	Required	Required for destination entry packages. I = International Service Center (ISC) N = None	String	enumerations= <ul style="list-style-type: none"> <li>I</li> <li>N</li> </ul>
eVSPriorityMailInt Request / MID	Optional	Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID>	String	minOccurs=0

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailInt Request / LogisticsManagerMID	Optional	The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID>	String	minOccurs=0
eVSPriorityMailInt Request / CRID	Optional	Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID>	String	minOccurs=0
eVSPriorityMailInt Request / VendorCode	Optional	Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode>	String	minOccurs=0 Default=8300
eVSPriorityMailInt Request / VendorProductVersionNumber	Optional	Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber>	String	minOccurs=0
eVSPriorityMailInt Request / ePostageMailerReporting	Optional	Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF ) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID)	String	enumerations= <ul style="list-style-type: none"> <li>• 1</li> <li>• 2</li> <li>• 3</li> </ul>
eVSPriorityMailInt Request / SenderFirstName	Optional	First Name of Sender. For example: <SenderFirstName>Adam</SenderFirstName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=49
eVSPriorityMailInt Request / SenderLastName	Optional	Last Name of Sender. For example: <SenderLastName>Smith</SenderLastName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=75
eVSPriorityMailInt Request / SenderBusinessName	Optional	Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</SenderBusinessName>	String	minLength=0 maxLength=100

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailInt Request / SenderAddress1	Optional	Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=148
eVSPriorityMailInt Request / SenderCity	Optional	Sender city. For example: <SenderCity>BETHESDA</SenderCity> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=50
eVSPriorityMailInt Request / SenderState	Optional	Sender state. For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=2
eVSPriorityMailInt Request / SenderZip5	Optional	Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(5)
eVSPriorityMailInt Request / SenderPhone	Optional	Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(10)
eVSPriorityMailInt Request / SenderEmail	Optional	E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=([w\-\.\.])@(([w\-\.\.]+)[a-zA-Z]{2,4})
eVSPriorityMailInt Request / ChargebackCode	Optional	Code used with the federal Agency Number or code for the customer's internal use.	String	123456 (alphanumeric)
eVSPriorityMailInt Request	Optional		(Alias)	

### 3.2.1 Sample Request

```

Request:eVSPriorityMailInt
<eVSPriorityMailIntCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>Garrison</FromFirstName>
<FromMiddleInitial>A</FromMiddleInitial>
<FromLastName>Johns</FromLastName>
<FromFirm />
<FromAddress1>radlab</FromAddress1>
    
```

```

<FromAddress2>6406 Ivy Lane</FromAddress2>
<FromCity>Greenbelt</FromCity>
<FromState>MD</FromState>
<FromZip5>20770</FromZip5>
<FromZip4>1234</FromZip4>
<FromPhone>3019187658</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Switzerland</ToCountry>
<ToPostalCode>20770</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<NonDeliveryOption>Return</NonDeliveryOption>
<Container>SMFLATRATEBOX</Container>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Brazil</CountryOfOrigin>
</ItemDetail>
<ItemDetail>
<Description>Description 2</Description>
<Quantity>2</Quantity>
<Value>2.22</Value>
<NetPounds>2</NetPounds>
<NetOunces>2</NetOunces>
<HSTariffNumber>234567</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<Insured>N</Insured>
<InsuredNumber></InsuredNumber>
<InsuredAmount></InsuredAmount>
<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<ExtraServices>

```

```
<ExtraService></ExtraService>
</ExtraServices>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>
```

**eVS Priority Mail International w/ HS Tarriff Number & Tags**

```
<eVSPriorityMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
  <Option />
  <Revision>2</Revision>
  <ImageParameters>
    <ImageParameter>4BY6LABEL</ImageParameter>
  </ImageParameters>
  <FromFirstName>Garrison</FromFirstName>
  <FromMiddleInitial>A</FromMiddleInitial>
  <FromLastName>Johns</FromLastName>
  <FromFirm />
  <FromAddress1>radlab</FromAddress1>
  <FromAddress2>6406 Ivy Lane</FromAddress2>
  <FromCity>Greenbelt</FromCity>
  <FromState>MD</FromState>
  <FromZip5>20770</FromZip5>
  <FromZip4>1234</FromZip4>
  <FromPhone>3019187658</FromPhone>
  <ToName></ToName>
  <ToFirstName>Reza</ToFirstName>
  <ToLastName>Dianat</ToLastName>
  <ToFirm>HP</ToFirm>
  <ToAddress1>HP</ToAddress1>
  <ToAddress2>5th floor</ToAddress2>
  <ToAddress3>6406 Ivy Lane</ToAddress3>
  <ToCity>Greenbelt</ToCity>
  <ToProvince>Md</ToProvince>
  <ToCountry>Switzerland</ToCountry>
  <ToPostalCode>20770</ToPostalCode>
  <ToPOBoxFlag>N</ToPOBoxFlag>
  <ToPhone>5555555555</ToPhone>
  <ToFax>3012929999</ToFax>
  <ToEmail>b@aol.com</ToEmail>
  <NonDeliveryOption>Return</NonDeliveryOption>
  <Container>MDFLATRATEBOX</Container>
  <ShippingContents>
    <ItemDetail>
      <Description>Policy guidelines document</Description>
      <Quantity>1</Quantity>
      <Value>55.00</Value>
      <NetPounds>1</NetPounds>
      <NetOunces>5</NetOunces>
      <HSTariffNumber>4901.10.0000</HSTariffNumber>
      <CountryOfOrigin>United States</CountryOfOrigin>
      <ItemCategory>turbo</ItemCategory>
      <ItemSubCategory>charger</ItemSubCategory>
    </ItemDetail>
  </ShippingContents>
  <Insured>N</Insured>
  <InsuredNumber></InsuredNumber>
  <InsuredAmount></InsuredAmount>
```



```

<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<ExtraServices>
  <ExtraService></ExtraService>
</ExtraServices>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>

```

### 3.3 Response Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlResponse	Required		(Alias)	
eVSPriorityMailIntlResponse / Postage	Required	Postage amount	Decimal	
eVSPriorityMailIntlResponse / TotalValue	Required	Value of all items being shipped	Decimal	
eVSPriorityMailIntlResponse / SDRValue	Required	Special Drawing Right calculated on Insured Amount	Decimal	
eVSPriorityMailIntlResponse / BarcodeNumber	Required	Mail service related barcode.	String	
eVSPriorityMailIntlResponse / LabelImage	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	
eVSPriorityMailIntlResponse / Page2Image	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	
eVSPriorityMailIntlResponse / Page3Image	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	
eVSPriorityMailIntlResponse / Page4Image	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	
eVSPriorityMailIntlResponse / Page5Image	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	
eVSPriorityMailIntlResponse / Page6Image	Required	Encoded images of label (may be empty depending upon layout option selected)	base64Binary	

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlResponse / Prohibitions	Required	List of items prohibited from mailing based on country of destination	String	
eVSPriorityMailIntlResponse / Restrictions	Required	Restrictions on items being shipped based on country of destination	String	
eVSPriorityMailIntlResponse / Observations	Required	Additional mailing information based on country of destination	String	
eVSPriorityMailIntlResponse / Regulations	Required	Additional regulations for shipping to destination country	String	
eVSPriorityMailIntlResponse / AdditionalRestrictions	Optional	Additional restrictions on items being shipped to destination country.  This tag is available when the request Revision tag >= 2.  If Revision tag < 2, the additional restrictions are appended to the Restrictions tag.	String	minOccurs=0
eVSPriorityMailIntlResponse / DestinationBarcodeNumber	Optional		String	minOccurs=0
eVSPriorityMailIntlResponse / ParcelIndemnityCoverage	Required	Indemnity value	Decimal	
eVSPriorityMailIntlResponse / InsuranceFee	Optional	Fee for insurance	Decimal	minExclusive=0.0
eVSPriorityMailIntlResponse / ExtraServices	Optional	Grouping of extra services	(Group)	minOccurs=0
eVSPriorityMailIntlResponse / ExtraServices / ExtraService	Optional, repeating up to unbounded times	Groups extra service information	(Group)	
eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceID	Required	Extra Service ID echoed from request	String	
eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceName	Required	Extra Service name	String	
eVSPriorityMailIntlResponse / ExtraServices / ExtraService / Price	Required	Extra Service fee	Decimal	

Tag Name	Occurs	Description	Type	Validation
eVSPriorityMailIntlResponse / RemainingBarcodes	Required	This contains the number of remaining barcodes that can be generated for this particular request.	String	
eVSPriorityMailIntlResponse / Warning	Optional		String	
eVSPriorityMailIntlResponse	Required		(Alias)	

### 3.3.1 Sample Response

```

<eVSPriorityMailIntlResponse>
<Postage>23.50</Postage>
<TotalValue>3.33</TotalValue>
<SDRValue></SDRValue>
<BarcodeNumber>LZ333007781US</BarcodeNumber>
<LabellImage>.....suppressed.....</LabellImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Page4Image></Page4Image>
<Page5Image></Page5Image>
<Page6Image></Page6Image>
<Prohibitions>
Arms and weapons.
Firing caps and loaded metal cartridges for portable firearms, nonexplosive parts of artillery fuses, flammable
films, or articles made of celluloid.
Human remains.
Live plants and animals.
Lottery tickets and advertisements for lotteries.
Mini-spies (miniature wireless transmitters).
Radar detectors.
</Prohibitions>
<Restrictions>No list furnished.</Restrictions>
<Observations>
1. A parcel may be addressed to a street address or to a post office box. A local telephone number for the
addressee should be provided when the item is addressed to a street address and must be provided when
the item is addressed to a post office box.
2. For parcels, an invoice, in duplicate, is Required for all commercial shipments regardless of value and all
personal shipments valued at $300 or more. The invoices must be affixed to the outside of the parcel or may
be enclosed in PS Form 2976-E with the customs declaration.
3. A letter or card fully prepaid and bearing the same address as that of a Priority Mail International parcel
may be tied to or otherwise securely attached to the outside of the parcel in such manner as to prevent its
separation therefrom and not to interfere with the address of the parcel. Stamps to cover postage on the
parcel must be affixed to the wrapper of the parcel. Stamps to pay postage on the letter must be affixed to
the envelope thereof, or in the case of a postcard, to the address side of the card, preferably the upper-right
portion. Priority Mail International parcels to which such letters or cards are attached are treated as parcel
post.
</Observations>
<Regulations>
Country Code: CH
Reciprocal Service Name: There is no reciprocal service.
Required Customs Form/Endorsement
1. Business correspondence and commercial papers/documents.

```

No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.

2. Merchandise samples without commercial value.  
PS Form 2976, Customs - CN 22 and Sender's Declaration.

3. Merchandise and all articles subject to customs duty.  
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91. An invoice, in duplicate, is Required for all commercial shipments regardless of value and all personal shipments valued at \$300 or more. The invoices must be either affixed to the outside of the parcel or enclosed in PS Form 2976-E with the customs declaration.

Notes:

1. An invoice, in duplicate, is Required for all commercial shipments regardless of value and for all personal shipments valued at \$300 or more. The invoices must be either affixed to the outside of the parcel or enclosed in PS Form 2976-E with the customs declaration.
2. Arms, weapons, and human remains are prohibited.
3. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Switzerland.
4. An Priority Mail Express International shipment may be addressed to a street address or to a post office box. A local telephone number for the addressee should be provided when the item is addressed to a street address and must be provided when the item is addressed to a post office box.

Areas Served:  
All points in Switzerland and Liechtenstein.

```

</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<ParcelIndemnityCoverage>0.00</ParcelIndemnityCoverage>
<ExtraServices>
<ExtraService>
<ServiceID>9</ServiceID>
<ServiceName>Electronic USPS Delivery Confirmation International</ServiceName>
<Price>0.00</Price>
</ExtraService>
</ExtraServices>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSPriorityMailIntlResponse>
    
```

## 4.0 eVS First Class Mail International Label API

### 4.1 Overview

The First Class Mail International Label API lets customers generate First Class International labels given the weight and dimensions of the item.

**Note:** The “eVSFirstClassMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

#### 4.1.1 API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll ?	API=eVSFirstClassMailIntl	&XML=(see Tag Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll ?	API=eVSFirstClassMailIntl Certify	&XML=(see Tag Descriptions below)

### 4.2 Request Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request	Required		(Alias)	
eVSTFirstClassMailIntl Request / USERID	Required	This attribute specifies your Web Tools user ID. See the <a href="#">Developer's Guide</a> for information on obtaining your USERID. For Example: USERID="XXXXXXX"	NMTOKEN	
eVSTFirstClassMailIntl Request / PASSWORD	Required	This attribute specifies your Web Tools password. See the <a href="#">Developer's Guide</a> for information on your Password. For Example: PASSWORD="XXXXXXX"	NMTOKEN	
eVSTFirstClassMailIntl Request / Option	Optional	For future use.	Empty	
eVSTFirstClassMailIntl Request / Revision	Required	Use of value <b>2</b> Required as of January 2011. For example: <Revision>2</Revision>	String	
eVSTFirstClassMailIntl Request / ImageParameters	Optional	Groups alternate image options.	(Group)	minoccurs=0
eVSTFirstClassMailIntl Request / ImageParameters / ImageParameter	Optional, repeating up to 3 times	Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> <li>4X6LABEL (4X6 on a full page 8.5/11" background)</li> <li>4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)</li> <li>4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)</li> <li>4X6ZPL203DPI (ZPL - Zebra Programming Language) format</li> <li>4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.</li> </ul> For example: <ImageParameter>4X6LABEL</ImageParameter>	String	Enumerations= <ul style="list-style-type: none"> <li>4X6LABEL</li> <li>4X6LABELL</li> <li>4X6LABELP</li> <li>4X6ZPL203DPI</li> <li>4X6ZPL300DPI</li> </ul>
eVSTFirstClassMailIntl Request / FromFirstName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstNam e>	String	maxLength=30 minLength=1 whiteSpace=collapse

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / FromMiddleInitial	Optional	Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial>	String	maxLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromLastName	Required	Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName>	String	maxLength=30 minLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromFirm	Required	FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm>XYZ</FromFirm>	String	maxLength=32 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromAddress1	Optional	Use this tag for a suite or apartment number only. For example: <FromAddress1>Suite 100</FromAddress1>	String	maxLength=32 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromAddress2	Required	Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street</FromAddress2>	String	maxLength=32 minLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromUrbanization	Optional	Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example:<FromUrbanization>URB Caparra Ter</FromUrbanization>	String	maxLength=32 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromCity	Required	Use this tag to specify originating city. For example: <FromCity>Anytown</FromCity>	String	maxLength=16 minLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromState	Required	Use 2-letter USPS abbreviation. For example: <FromState>AK</FromState>	String	length=2 whiteSpace=collapse
eVSTFirstClassMailIntl Request / FromZip5	Required	Five-digit valid ZIP code Required. For example: <FromZip5>01234</FromZip5>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSTFirstClassMailIntl Request / FromZip4	Optional	If value is entered, four digits are Required. Must be a valid ZIP+4 extension. For example: <FromZip4>5678</FromZip4>	String	whiteSpace=collapse length=4 pattern=\d{4}

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / FromPhone	Required	10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone>	String	whiteSpace=collapse length=10 pattern=\d{10}
eVSTFirstClassMailIntl Request / ToName	Optional	Deprecated. See "ToFirstName" and "ToLastName" tags.	String	maxLength=36
eVSTFirstClassMailIntl Request / ToFirstName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName>	String	maxLength=30
eVSTFirstClassMailIntl Request / ToLastName	Required	Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName>	String	maxLength=30
eVSTFirstClassMailIntl Request / ToFirm	Required	ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm></ToFirm>	String	maxLength=36
eVSTFirstClassMailIntl Request / ToAddress1	Optional	Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress1>Apartado 3068</ToAddress1>	String	maxLength=36 minLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ToAddress2	Required	Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2>	String	maxLength=36 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ToAddress3	Optional	Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress3/>	String	maxLength=36 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ToCity	Required	Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity>	String	maxLength=18 minLength=1 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ToProvince	Optional	Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince>	String	maxLength=9 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ToCountry	Required	The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". ( <a href="http://pe.usps.gov/text/lmm/lmmctry.htm">http://pe.usps.gov/text/lmm/lmmctry.htm</a> - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry>	String	minLength=1 whiteSpace=collapse

Tag Name	Occurs	Description	Type	Validation
eVSToPostalCode	Required	Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode>	String	maxLength=9 whiteSpace=collapse
eVSToPOBoxFlag	Required	Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag>	String	whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>
eVSToPhone	Optional	No format checking is done on international phone numbers. Required when FirstClassMailIntlRequest[ToPOBoxFlag='Y']. For example: <ToPhone>011 52 (322) 222-0069</ToPhone>	String	maxLength=30 whiteSpace=collapse
eVSToFax	Optional	No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax>	String	maxLength=30 whiteSpace=collapse
eVSToEmail	Optional	One single, complete, and valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail>	String	maxLength=30 whiteSpace=collapse pattern=(\w\-\.)+@((\w\-\.)+[\a-zA-Z]{2,4})
eVSToFirstClassMailType	Optional	Used to determine the postage rate. See also FirstClassMailIntlRequest/Machinable. For example: <FirstClassMailType>PACKAGE SERVICE</FirstClassMailType>	String	default= PACKAGE SERVICE whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>• PACKAGE SERVICE</li> </ul>
eVSToShippingContents	Required		(Group)	
eVSToShippingContentsItemDetail	Required repeating up to 5 times		(Group)	



Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Description	Required	Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> <b>Note:</b> Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other For example: <Description>Policy guidelines document</Description>	String	maxLength=30 minLength=2 whiteSpace=collapse
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Quantity	Required	Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity>	Integer	whiteSpace=collapse minExclusive=0 maxExclusive=1000
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Value	Required	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value>	Decimal	whiteSpace=collapse minExclusive=0 maxExclusive=100000
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / NetPounds	Required	Provide the pounds component of the weight of the individual item listed within this ItemDetail. For example: <NetPounds>1</NetPounds>	Integer	default=0 whiteSpace=collapse minInclusive=0
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / NetOunces	Required	Provide the ounces component of the weight of the individual item listed within this ItemDetail. For example: <NetOunces>5</NetOunces>	Decimal	default=0.0 whiteSpace=collapse minInclusive=0

Tag Name	Occurs	Description	Type	Validation
eVSTariffNumber	Required	<p>For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.</p> <p>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.</p> <p>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return &lt;HSCCodeEnforced&gt;="true") the API requires a valid &lt;HTariffNumber&gt;. Web Tools will not validate &lt;HTariffNumber&gt; if provided in the correct format, but Web Tools will attempt to obtain a valid &lt;HTariffNumber&gt; using the required &lt;Description&gt; and optional &lt;ItemCategory&gt; and &lt;ItemSubCategory&gt; values provided if &lt;HTariffNumber&gt; is not provided or is in an incorrect format.</p> <p>For example: &lt;HTariffNumber&gt;4901.10.0000&lt;/HTariffNumber&gt;</p>	String	whitespace=collapse maxLength=17 minLength=0 pattern=\d{12} pattern=\d{0}
eVSTariffNumber	Required	<p>For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (<a href="http://pe.usps.gov/text/Imm/Immctry.htm">http://pe.usps.gov/text/Imm/Immctry.htm</a> - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.</p> <p>For example: &lt;CountryOfOrigin&gt;United States&lt;/CountryOfOrigin&gt;</p>	String	whitespace=collapse minLength=0

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemCategory	Optional	Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	minLength=0 maxLength=100
eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory	Optional	Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at <a href="#">Guidance on Acceptable and Unacceptable Terms for the Description of Goods</a> .	String	minLength=0 maxLength=100
eVSTFirstClassMailIntl Request / Postage	Optional	Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage>	String Decimal	length=0 whiteSpace=collapse
eVSTFirstClassMailIntl Request / GrossPounds	Required	Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the "GrossOunces" tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds>	Integer	whiteSpace=collapse minInclusive=0
eVSTFirstClassMailIntl Request / GrossOunces	Required	Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces>	Integer	whiteSpace=collapse minInclusive=0

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntlRequest / Machinable	Optional	Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See <a href="#">International Mail Manual (IMM) Section 241</a> for more information. For example: <Machinable>>false</Machinable>	Boolean	default=true whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>false</li> <li>true</li> </ul>
eVSTFirstClassMailIntlRequest / ContentType	Required	Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentType>	String	whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>MERCHANDISE</li> <li>SAMPLE</li> <li>GIFT</li> <li>DOCUMENTS</li> <li>HUMANITARIAN</li> <li>OTHER</li> </ul>
eVSTFirstClassMailIntlRequest / ContentTypeOther	Optional	Required when FirstClassMailIntlRequest[ContentType='OTHER'].	String	maxLength=15 whiteSpace=collapse
eVSTFirstClassMailIntlRequest / Agreement	Required	Indicates the requestor's agreement to terms and conditions of mailing. Requires a value of Y to print and in Signature Box along with Current Date (Central Time USA). Any other value returns an error.	String	whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>Y</li> </ul>
eVSTFirstClassMailIntlRequest / Comments	Optional	For future use.	String	maxLength=76 whiteSpace=collapse
eVSTFirstClassMailIntlRequest / LicenseNumber	Optional	For future use.	String	maxLength=24 whiteSpace=collapse
eVSTFirstClassMailIntlRequest / CertificateNumber	Optional	For future use.	String	maxLength=24 whiteSpace=collapse
eVSTFirstClassMailIntlRequest / InvoiceNumber	Optional	For future use.	String	maxLength=24 whiteSpace=collapse
eVSTFirstClassMailIntlRequest / ImageType	Required	For example: <ImageType>PDF</ImageType>	String	whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>PDF</li> <li>TIF</li> <li>NONE</li> </ul>
eVSTFirstClassMailIntlRequest / ImageLayout	Optional	Specified whether the pages are to be returned one per file or all in one file. The current FCMI label is one page so this tag has no effect. For example: <ImageLayout>ONEPERFILE</ImageLayout>	String	default=ONEPERFILE whiteSpace=collapse enumeration= <ul style="list-style-type: none"> <li>ONEPERFILE</li> <li>ALLINONEFILE</li> </ul>

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / CustomerRefNo	Optional	Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref 369246</CustomerRefNo>	String	maxLength=30
eVSTFirstClassMailIntl Request / CustomerRefNo2	Optional	Written to Postal Manifest Detail record For example: <CustomerRefNo2>ACT 369246</ CustomerRefNo2>	String	maxLength=30
eVSTFirstClassMailIntl Request / LabelDate	Optional	Date the mail will enter the mail stream. No more than three days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate>	String	whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)?
eVSTFirstClassMailIntl Request / HoldForManifest	Optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	String	enumeration= <ul style="list-style-type: none"> <li>• Y</li> <li>• N</li> </ul>
eVSTFirstClassMailIntl Request / EELPFC	Optional	Exemption and Exclusion Legend or PFC Code. Currently Optional, in the future it may be Required for use. Please refer to the International Mail Manual for further information - <a href="http://pe.usps.gov/text/imm/immc5_007.htm">http://pe.usps.gov/text/imm/immc5_007.htm</a> . To activate check boxes use "30.37a" or "30.37h". For example: <EELPFC>30.37a</EELPFC>	String	whiteSpace=collapse minLength=0 maxLength=35
eVSTFirstClassMailIntl Request / Container	Optional	This tag has been deprecated	String	
eVSTFirstClassMailIntl Request / Length	Optional	Value must be numeric. Units are inches.  If partial dimensions are provided, an error response will return.  Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.  Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.	Decimal	minExclusive=0.0 totalDigits=10

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntl Request / Width	Optional	<p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p><b>Example:</b>                      &lt;Width&gt;5&lt;/Width&gt;                      &lt;Length&gt;&lt;/Length&gt;                      &lt;Height&gt;8&lt;/Height&gt;</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.</p>	Decimal	minExclusive=0.0 totalDigits=10
eVSTFirstClassMailIntl Request / Height	Optional	<p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing.</p>	Decimal	minExclusive=0.0 totalDigits=10

Tag Name	Occurs	Description	Type	Validation				
eVSTFirstClassMailIntl Request / Girth	Optional	<p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference <a href="https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm">https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm</a> for more details on dimensional weight pricing</p>	Decimal	minExclusive=0.0 totalDigits=10				
eVSTFirstClassMailIntl Request / ExtraServices	Optional	Groups extra services elements	(Group)					
eVSTFirstClassMailIntl Request / ExtraServices / ExtraService	Optional, repeating up to 3 times	<p>Use to specify extra services. Currently, available extra service is electronic USPS Delivery Confirmation International.</p> <table border="1" data-bbox="602 1031 1000 1236"> <thead> <tr> <th>Extra Service Name</th> <th>Service ID</th> </tr> </thead> <tbody> <tr> <td>e-USPS Delivery Confirmation International</td> <td>109</td> </tr> </tbody> </table> <p>For example: &lt;ExtraService&gt;109&lt;/ExtraService&gt;</p>	Extra Service Name	Service ID	e-USPS Delivery Confirmation International	109	String	enumeration= <ul style="list-style-type: none"> <li>109</li> </ul>
Extra Service Name	Service ID							
e-USPS Delivery Confirmation International	109							
eVSTFirstClassMailIntl Request / PriceOptions	Optional	<p>Indicates if retail, commercial base or commercial plus pricing should be returned.</p> <p>For example: &lt;PriceOptions&gt;COMMERCIAL BASE&lt;/PriceOptions&gt;</p>	String	default=RETAIL enumeration= <ul style="list-style-type: none"> <li>COMMERCIAL BASE</li> <li>COMMERCIAL PLUS</li> </ul>				
eVSTFirstClassMailIntl Request / ActionCode	Optional	Passed to SPE file via the shipment manifest.	String	Default = M0 enumeration= <ul style="list-style-type: none"> <li>M0</li> <li>S0</li> </ul>				
eVSTFirstClassMailIntl Request / OptOutOfSPE	Optional	Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file.	Boolean	Default = true enumeration= <ul style="list-style-type: none"> <li>true</li> <li>false</li> </ul>				

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailInt Request / PermitNumber	Optional	Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings	String	minOccurs=0
eVSTFirstClassMailInt Request / AccountZipCode	Optional	ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode>	String	whiteSpace=collapse length=5 pattern=\d{5}
eVSTFirstClassMailInt Request / DestinationRateIndicator	Required	Required for destination entry packages I = International Service Center (ISC) N = None	String	enumerations= • I • N
eVSTFirstClassMailInt Request / MID	Optional	Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID>	String	minOccurs=0
eVSTFirstClassMailInt Request / LogisticsManagerMID	Optional	The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID>	String	minOccurs=0
eVSTFirstClassMailInt Request / CRID	Optional	Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID>	String	minOccurs=0
eVSTFirstClassMailInt Request / VendorCode	Optional	Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode>	String	minOccurs=0 default=8300



Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailInt Request / VendorProductVersionNumber	Optional	Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1 </ VendorProductVersionNumber>	String	minOccurs=0
eVSTFirstClassMailInt Request / ePostageMailerReporting	Optional	Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF ) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID)	String	enumerations= • 1 • 2 • 3
eVSTFirstClassMailInt Request / SenderFirstName	Optional	First Name of Sender. For example: <SenderFirstName>Adam </ SenderFirstName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=49
eVSTFirstClassMailInt Request / SenderLastName	Optional	Last Name of Sender. For example: <SenderLastName>Smith </ SenderLastName> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=75
eVSTFirstClassMailInt Request / SenderBusinessName	Optional	Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</ SenderBusinessName>	String	minLength=0 maxLength=100
eVSTFirstClassMailInt Request / SenderAddress1	Optional	Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=148
eVSTFirstClassMailInt Request / SenderCity	Optional	Sender city For example: <SenderCity>BETHESDA</ SenderCity> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=50
eVSTFirstClassMailInt Request / SenderState	Optional	Sender state. For example: <SenderState>MD</ SenderState> Required when <ePostageMailerReporting>=1	String	minLength=0 maxLength=2

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailInt Request / SenderZip5	Optional	Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(5)
eVSTFirstClassMailInt Request / SenderPhone	Optional	Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=d(10)
eVSTFirstClassMailInt Request / SenderEmail	Optional	E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1	String	minLength=0 pattern=(([\w\-\.\.])+)@(([\w-]+\.\.+)([a-zA-Z]){2,4})
eVSTFirstClassMailInt Request / RemainingBarcodes	Required	This contains the number of remaining barcodes that can be generated for this particular request.	String	
eVSTFirstClassMailInt Request / ChargebackCode	Optional	Code used with the federal Agency Number or code for the customer's internal use.	String	123456 (alphanumeric)
eVSTFirstClassMailInt Request / ImportersReferenceNumber	Optional	Enter a value for Importers Reference to pass IOSS data in the SSF for export compliance and to print when <PrintImportersReference> is true. The text entered is any reference number that the recipient wishes to use.  <b>Note:</b> Requires <ImportersReferenceType> to be specified if used.  For example: <ImportersReferenceNumber>Order 23432</ImportersReferenceNumber>	String	maxLength=40
eVSTFirstClassMailInt Request / ImportersReferenceType	Conditionally Required	Tax code / VAT no. / Importer Code Enter a value for Importers Reference Type to pass IOSS data in the SSF for export compliance.  <b>Note:</b> Required when <ImportersReferenceNumber> is used.	String	minOccurs=0 enumeration= <ul style="list-style-type: none"><li>• TAXCODE</li><li>• VAT</li><li>• IMPORTERCODE</li></ul>

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntlRequest / FromCustomsReference	Optional	Enter a value for Sender Customs Reference Number to pass IOSS data in the SSF for export compliance. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference>	String	maxLength=14
eVSTFirstClassMailIntlRequest / PrintImportersReference	Optional	A value of "true" will print the <ImportersReferenceNumber> value on the P.S. Form 2976 in the upper left corner of the TO block section.	Boolean	Default=false enumeration= <ul style="list-style-type: none"> <li>• true</li> <li>• false</li> </ul>
eVSTFirstClassMailIntlRequest	Required		(Alias)	

#### 4.2.1 Sample Request

**Request: eVSTFirstClassMailIntl**

```

<eVSTFirstClassMailIntlRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm />
<FromAddress1>test</FromAddress1>
<FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5708203158</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Brazil</ToCountry>
<ToPostalCode></ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<FirstClassMailType></FirstClassMailType>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>

```

```
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<GrossPounds>3</GrossPounds>
<GrossOunces>2</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>FirstClassMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<Container></Container>
<Length>15.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth></Girth>
<ExtraServices>
<ExtraService>109</ExtraService>
</ExtraServices>
<PriceOptions>COMMERCIAL BASE</PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSTFirstClassMailIntlRequest>
```

**eVS FirstClass Mail Intl Request with HS Tarriff Number and Tags**

```
<eVSTFirstClassMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
  <Option />
  <Revision>2</Revision>
  <ImageParameters />
  <FromFirstName>John</FromFirstName>
  <FromMiddleInitial>L</FromMiddleInitial>
  <FromLastName>Doe</FromLastName>
  <FromFirm />
  <FromAddress1>test</FromAddress1>
  <FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
  <FromCity>Wilkes-Barre</FromCity>
  <FromState>PA</FromState>
  <FromZip5>18702</FromZip5>
  <FromZip4></FromZip4>
  <FromPhone>5708203158</FromPhone>
  <ToName></ToName>
  <ToFirstName>Reza</ToFirstName>
  <ToLastName>Dianat</ToLastName>
  <ToFirm>HP</ToFirm>
  <ToAddress1>HP</ToAddress1>
  <ToAddress2>5th floor</ToAddress2>
  <ToAddress3>6406 Ivy Lane</ToAddress3>
  <ToCity>Greenbelt</ToCity>
  <ToProvince>Md</ToProvince>
  <ToCountry>Brazil</ToCountry>
  <ToPostalCode></ToPostalCode>
  <ToPOBoxFlag>N</ToPOBoxFlag>
  <ToPhone>5555555555</ToPhone>
  <ToFax>3012929999</ToFax>
```

```

<ToEmail>b@aol.com</ToEmail>
<FirstClassMailType></FirstClassMailType>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<GrossPounds>3</GrossPounds>
<GrossOunces>2</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>FirstClassMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<Size>LARGE</Size>
<Length>15.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth></Girth>
<ExtraServices>
  <ExtraService/>
</ExtraServices>
<PriceOptions>COMMERCIAL BASE</PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
<ImportersReferenceNumber>123.456.789-00</ImportersReferenceNumber>
<ImportersReferenceType>VAT</ImportersReferenceType>
<FromCustomsReference>12345678901234</FromCustomsReference>
<PrintImportersReference>true</PrintImportersReference>
</eVSVFirstClassMailIntlCertifyRequest>

```

### 4.3 Response Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSVFirstClassMailIntlResponse	Required		(Alias)	
eVSVFirstClassMailIntlResponse / Postage	Required	Postage amount	Decimal	
eVSVFirstClassMailIntlResponse / TotalValue	Required	Value of all items being shipped	Decimal	
eVSVFirstClassMailIntlResponse / BarcodeNumber	Required	Mail service related barcode.	String	

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassMailIntlResponse / LabelImage	Required	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	
eVSTFirstClassMailIntlResponse / Page2Image	Required	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	
eVSTFirstClassMailIntlResponse / Page3Image	Required	Encoded images of label. (may be empty depending upon layout selection or items shipped)	base64Binary	
eVSTFirstClassMailIntlResponse / Prohibitions	Required	List of items prohibited from mailing based on country of destination	String	
eVSTFirstClassMailIntlResponse / Restrictions	Required	Restrictions on items being shipped based on country of destination	String	
eVSTFirstClassMailIntlResponse / Observations	Required	Additional mailing information based on country of destination	String	
eVSTFirstClassMailIntlResponse / Regulations	Required	Additional regulations for shipping to destination country	String	
eVSTFirstClassIntlResponse / AdditionalRestrictions	Required	Additional restrictions on items being shipped to destination country	String	
eVSTFirstClassIntlResponse / DestinationBarcodeNumber	Optional		String	minOccurs=0
eVSTFirstClassIntlResponse / ExtraServices	Optional	Appears if ExtraServices was populated in the request	(Group)	
eVSTFirstClassIntlResponse / ExtraServices / ExtraService	Optional, repeating up to unbounded times	Groups extra service information	(Group)	
eVSTFirstClassIntlResponse / ExtraServices / ExtraService / ServiceID	Required	Extra Service ID echoed from request	String	
eVSTFirstClassIntlResponse / ExtraServices / ExtraService / ServiceName	Required	Extra Service name	String	

Tag Name	Occurs	Description	Type	Validation
eVSTFirstClassIntlResponse / ExtraServices / ExtraService/ Price	Required	Extra Service fee	Decimal	
eVSTFirstClassMailIntlResponse / Warning	Optional		String	
eVSTFirstClassMailIntlCertifyResponse	Required		(Alias)	

### 4.3.1 Sample Response

```

<eVSTFirstClassMailIntlResponse>
<Postage>30.42</Postage>
<TotalValue>1.11</TotalValue>
<BarcodeNumber>LZ333007778US</BarcodeNumber>
<LabellImage>.....removed.....</LabellImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Prohibitions>
Banknotes; currency notes; paper money; securities payable to bearer; and traveler's checks.
Coins; manufactured and unmanufactured platinum, gold, and silver; precious stones; jewels; expensive
jewelry; and other valuable articles.
Commercial samples that promote tobacco products or smoking-related merchandise.
Commercial shipments that contain cigarettes, cigarillos, cigars, loose and packaged tobacco, pipes, and other
smoking devices.
Items that are fragile, either by nature or due to inadequate packing, that could cause harm to individuals or
equipment.
Medicines whose formulas are not listed in the official pharmacopeias or not licensed by the Brazilian
Department of Public Health.
Perishable infectious biological substances.
Perishable noninfectious biological substances.
Playing cards.
Poniards, stilettos, poniard blades; canes, umbrellas, or any other articles containing swords, daggers, or guns;
handcuffs, and blackjacks.
Primary educational books not written in Portuguese.
Radioactive materials.
Regulation arms and munitions of Brazil and parts. Air guns. Reducing tubes and silencers for firearms.
Salted or smoked meat, and other foodstuffs of animal origin.
Seeds and seedlings of coffee, shrubs.
Used consumer goods (See Observation #5 for exception).
</Prohibitions>
<Restrictions>
Medicines must be accompanied by a prescription from the attendant Brazilian doctor. This prescription should
be on a chemist's form, bearing the name, private address or office of the doctor, his registration number with
the Brazil National Medical Council and a Portuguese translation of the instructions, as necessary. Postal
packages containing medicaments and not satisfying the above-mentioned conditions will be returned to the
senders or, if abandoned, treated as undeliverable items.
Postage stamps are admitted only in registered shipments.
Saccharine and other artificial sweeteners for artificial beverages require permission from the Brazilian
Department of Public Health for importation.
</Restrictions>
<Observations>

```

1. Brazil reserves the right to collect a "presentation-to-Customs charge" from customers for any item submitted to customs control, even if no customs charges are levied.
2. Import licenses are Required for many kinds of goods and senders should ascertain from the addressee before mailing that the necessary documents are held.
3. Imports are allowed by mail, including mail order catalog shipments, up to a value of U.S. \$500 (U.S. \$1000 for computer software) without the requirement of an import license provided the item is not for resale. Shipments valued at no more than U.S. \$50 are duty free and are delivered to the addressee; shipments above U.S. \$50 can be picked up at the post office upon payment of import duties. Imports that are prohibited or subject to special regulations must comply with applicable Brazilian government provisions. Identical shipments from the same source to the same person or address in Brazil within a 90 day period are considered part of the same shipment and may be subject to confiscation. Other merchandise that usually enters duty free includes items such as newspapers, maps, books, and magazines.
4. Shipments for which an import permit has not been issued are considered contraband and confiscated.
5. Shipments that do not indicate the applicable postage and fees on PS Form 2976-A will hinder the customs clearance process, causing delays to clear the items.
6. Used consumer goods may only be sent to charitable organizations that are recognized by the Brazilian government as being entities which serve the public interest.

</Observations>

<Regulations>

Country Code:

BR

Reciprocal Service Name;

Serca

Required Customs Form/Endorsement

1. Correspondence and business papers.

PS Form 2976, Customs - CN 22 and Sender's Declaration. Endorse item clearly next to mailing label as BUSINESS PAPERS.

2. Merchandise, merchandise samples without commercial value, documents, computer data, and all articles subject to customs duty.

PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91. Include an invoice with all commercial shipments.

Note:

Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Brazil.

Areas Served: All

</Regulations>

<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>

<ExtraServices>

<ExtraService>

<ServiceID>10</ServiceID>

<ServiceName>Electronic USPS Delivery Confirmation International (Service temporarily suspended)</ServiceName>

<Price>0.00</Price>

</ExtraService>

</ExtraServices>

<RemainingBarcodes>5< RemainingBarcodes>

</eVSTFirstClassMailIntlResponse>

## 5.0 eVS International Cancel API

### 5.1 Overview

The eVS International Cancel request allows an eVS label to be removed from processing if the request is made prior to 11:59 PM Central Time on the day of label creation.



### 5.1.1 API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSICancel	&XML=(see Tag Descriptions below)
https://	secure.shippingapis.com	/ShippingAPI.dll?	API=eVSICancelCertify	&XML=(see Tag Descriptions below)

## 5.2 Request Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSICancelRequest	Required		(Group)	
eVSICancelRequest / USERID	Required	This attribute specifies your Web Tools user ID. See the <a href="#">Developer's Guide</a> for information on obtaining your USERID. For Example: USERID="XXXXXXX"	NMTOKEN	
eVSICancelRequest / PASSWORD	Required	This attribute specifies your Web Tools password. See the <a href="#">Developer's Guide</a> for information on your Password. For Example: PASSWORD="XXXXXXX"	NMTOKEN	
eVSICancelRequest / BarcodeNumber	Required	BarcodeNumber of original label. Length of 22, 30 or 34 numbers.  <b>Note:</b> The eVSICancel API can contain only one package barcode in a single request.		
eVSICancelRequest	Required			

### 5.2.1 Sample Request

```
<eVSICancelRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<BarcodeNumber>1234567890</BarcodeNumber>
</eVSICancelRequest>
```

## 5.3 Response Descriptions

Tag Name	Occurs	Description	Type	Validation
eVSICancelResponse	Required		(Alias)	
eVSICancelResponse / BarcodeNumber	Required	Returned in the eVS Label Request Length of 22, 30 or 34 numbers.		
eVSICancelResponse / Status	Required	Success or Failure Indicator	String	"Cancelled" "Not Cancelled"

Tag Name	Occurs	Description	Type	Validation
eVSICancelResponse / Reason	Required		String	"Order Cancelled Successfully" "Order Already Cancelled" "Order Not Found"
eVSICancelResponse	Required		(Alias)	

### 5.3.1 Sample Response

**Responses: eVSICancel**

```

<eVSICancelResponse>
  <BarcodeNumber>1234567890</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Not Found</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC502016316US</BarcodeNumber>
  <Status>Cancelled</Status>
  <Reason>Order Cancelled Successfully</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC502016316US</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Already Cancelled</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC900000362US</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Already Manifested</Reason>
</eVSICancelResponse>
    
```




## 6.0 Appendices

### 6.1 Appendix A

#### 6.1.1 eVS International Label Example – Express Mail International (P.S. Form 2976-B)

<b>F R O M</b>	JOHN L DOE 7 NORTH WILKE-BARRE BLVD WILKES-BARRE PA 18702 US	555-555-5555 MID: 901065076	<b>CP72-CUSTOMS DECLARATION</b>			<b>PRIORITY MAIL EXPRESS INT'L U.S. POSTAGE PAID No Valid Test Label eVS</b>		
	<b>Origin Post:</b> US POSTAL SERVICE		<b>Date of Mailing:</b> 10/27/2017					
	<b>Importer's reference:</b>		<b>Importer's contact:</b>					
<b>Detailed description of contents</b>			<b>Qty</b>	<b>Net Weight (lbs/oz)</b>	<b>Value (US\$)</b>	<b>HS Tariff Number</b>	<b>Country</b>	<b>Insured Value: \$</b> Up to 100.00
Policy guidelines document			1	1 5	55.00	490110	US	<b>SDR Value: \$</b> 71.59
								<b>Insured Fee: \$</b>
								<b>Postal charges/ Fees: \$</b> 79.71
<b>Category of items:</b> DOCUMENTS			<b>TOTAL</b>	<b>4</b>	<b>0</b>	<b>55.00</b>	<b>Corporate Account #:</b>	
<b>Exporter's reference:</b>		<b>Exporter's contact:</b> 555-555-5555		<b>Total Dimensions:</b> L: 20.5 W: 5.5 H: 5.5		I certify the particulars given in this customs declaration are correct. The form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.		
<b>AES/ITN/Exemption</b>			<b>Invoice/License/Certificate No(s)</b> INV-040903/CERT 7865342/102435689					
<b>Delivery Information</b>								
<b>Scheduled Delivery Date:</b> 11/02/2017	<b>Delivery Date:</b>	<b>Delivery Time:</b> AM/PM	<b>Addressee's Signature</b>			<b>Sender's Signature and Date</b> John L Doe 10/27/2017		
						<b>Return to Sender Instructions in case of nondelivery</b> Return to Sender		
<b>T O</b>	014 52 (322) 222-0069							
	MS. C. P. APPLE APARTADO 3068 2046 GOLDEN ROCK AUSTRALIA							
						EC 000 091 125 US		
PS Form 2976-B (March 2015) Web Tools			Do not duplicate this form without USPS approval.			This item may be opened officially.		

6.1.2 eVS International Label Example – Priority Mail International (P.S. Form 2976-A)

<b>F R O M</b>	301-918-7658 MID: 444444444  GARRISON A JOHNS RADLAB 6406 IVY LN GREENBELT MD 20770-1435 US	<b>CP72-CUSTOMS DECLARATION</b>			<b>P</b>	<b>PRIORITY MAIL INT'L                  U.S. POSTAGE PAID</b> Not Valid Test Label <b>eVS</b>		
		Origin Post: <b>US POSTAL SERVICE</b>		Date of Mailing: 04/18/2023				
		Importer's reference:						
		Importer's contact:						
<b>Detailed description of contents</b>		<b>Qty</b>	<b>Net Weight (lbs/oz)</b>		<b>Value (US\$)</b>	<b>HS Tariff Number</b>	<b>Origin Country</b>	Insured Value: \$ Up to 100.00
Description 1		1	1	1	1.11	2345	BR	SDR Value: \$
Description 2		2	2	2	2.22	6789	CH	Insured Fee: \$
								Postal charges/ Fees: \$ 42.13
Category of items: DOCUMENTS		<b>TOTAL</b>	3	3	3.33	I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.		
Exporter's reference:	Exporter's contact: 301-918-7658	Total Dimensions: L: 0.0 W: 0.0 H: 0.0						
AES/ITN/Exemption	Invoice/License/Certificate No(s)							
Sender's Signature and Date Garrison A Johns 04/18/2023								
 3.3 lb.					Return to Sender Instructions in case of nondelivery: Return to Sender			
<b>T O</b>	5555555555  REZA DIANAT HP HP 5TH FLOOR 6406 IVY LANE 20770 GREENBELT MD SWITZERLAND				 <b>CB 000 090 598 US</b>			
	PS Form 2976-A (March 2015) Web Tools Do not duplicate this form without USPS approval. This item may be opened officially.							

6.1.3 eVS International Label Example – First Class Mail International (P.S. Form 2976)

<b>CN22 - CUSTOMS DECLARATION</b>				<b>F R O M</b>	570-820-3158 MID: 44444444		<b>FIRST-CLASS PKG INT'L SERVICE U.S. POSTAGE PAID Not Valid Test Label eVS</b>
<b>Origin Post:</b> US Postal Service		<b>Date of Mailing:</b> 11/19/2024			JOHN L DOE TEST 7 N WILKES BARRE BLVD WILKES BARRE PA 18702-5249 US		
<b>Category of Item:</b> DOCUMENTS							
<b>AES/ITN/Exemptions:</b>				<b>Detailed description of contents</b> Policy guidelines document			
				<b>TO</b>	123.456.789-00	5555555555	
					REZA DIANAT HP HP 5TH FLOOR 6406 IVY LANE GREENBELT MD BRAZIL		
<b>Qty</b>	<b>Wgt (lb/oz)</b>	<b>Value (US\$)</b>	<b>HS Tariff Number: Country of Origin</b>	3.1 lb.			
1	1	5	55.00 4901.10.0000 US				
1		55.00	TOTAL				
<p>I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous materials, or articles prohibited by Legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations</p>							
<b>Sender's Signature and Date</b> John L Doe 11/19/2024				<b>LB 000 091 942 US</b>			
<b>PS Form 2976 (March 2015) Web Tools</b>				Do not duplicate this form without USPS approval.		This item may be opened officially.	

## 6.2 Appendix B - Country Codes

Country	Code
Abu Dhabi	AE
Admiralty Islands (Papua New guinea)	PG
Afghanistan	AF
Aitutaki, Cook Islands (New Zealand)	NZ
Ajman (United Arab Emirates)	AE
Aland Island (Finland)	FI
Albania	AL
Alberta (Canada)	CA
Alderney (Channel Islands) (Great Britain and Northern Ireland)	GB
Algeria	DZ
Alhucemas (Spain)	ES
Alofi Island (New Caledonia)	NC
American Samoa, United States	AS
Andaman Islands (India)	IN
Andorra	AD
Angola	AO
Anguilla	AI
Anjouan (Comoros)	KM
Annobon Island (Equatorial Guinea)	GQ
Antigua (Antigua and Barbuda)	AG
Argentina	AR
Armenia	AM
Aruba	AO
Ascension	SH
Astypalaia (Greece)	GR
Atafu (Samoa)	WS
Atiu, Cook Islands (New Zealand)	CK
Australia	AU
Austria	AT
Avarua (New Zealand)	NZ

Country	Code
Azerbaijan	AZ
Azores (Portugal)	PT
Bahamas	BS
Bahrain	BH
Balearic Islands (Spain)	ES
Balochistan (Pakistan)	PK
Bangladesh	BD
Banks Island (Vanuatu)	VU
Barbados	BB
Barduda (Antigua and Barbuda)	AG
Barthelemy (Guadeloupe)	BL
Belarus	BY
Belgium	BE
Belize	BZ
Benin	BJ
Bermuda	BM
Bhutan	BT
Bismark Archipelago (Papua New Guinea)	PG
Bolivia	BO
Bonaire, Sint Eustatius and Saba	BQ
Bora Bora (French Polynesia)	PF
Borneo (Indonesia)	ID
Botswana	BW
Bougainville (Papua New Guinea)	PG
Bourbon (Reunion)	RE
Brazil	BR
British Columbia (Canada)	CA
British Guiana (Guyana)	GY
British Virgin Islands	VG
Brunei Darussalam	BN
Buka (Papua New Guinea)	PG
Bulgaria	BG

Country	Code
Burkina Faso	BF
Burundi	BI
Caicos Islands(Turks and Caicos Islands)	TC
Cambodia	KH
Cameroon	CM
Canada	CA
Canary Islands (Spain)	ES
Canton Island (Kiribati)	KI
Cape Verde	CV
Cayman Islands	KY
Central African Republic	CF
Ceuta (Spain)	ES
Ceylon (Sri Lanka)	LK
Chad	TD
Chaferinas Islands (Spain)	ES
Chalki (Greece)	GR
Channel Islands (Jersey, Guemsey, Alderney and Sark) (Great Britain and Norther Ireland)	JE
Chile	CL
China	CN
Christmas Island (Australia)	AU
Christmas Island (Kiribati)	KI
Cocos (Keeling) Islands	CC
Colombia	CO
Comoros	KM
Congo, the Democratic Republic of the	CD
Congo	CG
Cook Islands	CK
Corisco Island (Equatorial Guinea)	GQ
Corsica (France)	FR
Costa Rica	CR
Cote dlvoire	CI



Country	Code
Crete (Greece)	GR
Croatia	HR
Cuba	CU
Cumino Island (Malta)	MT
Curacao	CW
Cyjrenaica (Libya)	LY
Cyprus	CY
Czech Republic	CZ
Dahomey (Benin)	BN
Damao (India)	IN
Danger Islands (New Zealand)	NZ
Denmark	DK
Desirade Island (Guadeloupe)	GP
Diu (India)	IN
Djibouti	DJ
Dodecanese Islands (Greece)	GR
Doha (Qatar)	QA
Dominica	DM
Dominican Republic	DO
Dubai (United Arab Emirates)	AE
East Timor (Timor-Leste)	TL
Ecuador	EC
Egypt	EG
Eire (Ireland)	IE
El Salvador	SV
Ellice Islands (Tuvalu)	TV
Elobey Islands (Equatorial Guinea)	GQ
Enderbury Island (Kirbati)	KI
England (Great Britain and Northern Ireland)	GB
Equatorial Guinea	GQ
Eritrea	ER
Ethiopia	ET

Country	Code
Estonia	EE
Fakaofu (Samoa)	WS
Falkland Islands (Malvinas)	FK
Fanning Island (Kiribati)	KI
Faroe Islands	FO
Fernando Po (Equatorial Guinea)	GQ
Fiji	FJ
Fezzan (Libya)	LY
Finland	FI
Fomosa (Taiwan)	TW
France	FR
French Guiana	GF
French Oceania (French Polynesia)	PF
French Polynesia	PF
French West Indies (Guadeloupe)	GP
French West Indies (Martinique)	MQ
Friendly Islands (Tonga)	TO
Fujairah (United Arab Emirates)	AE
Futuna (Wallis and Futuna Islands)	WF
Gabon	GA
Gambia	GM
Gambier (French Polynesia)	PF
Georgia	GE
Germany	DE
Ghana	GH
Gibraltar	GI
Gilbert Islands (Kiribati)	KI
Goa (India)	IN
Gozo Island (Malta)	MT
Grand Comoro (Comoros)	KM
Great Britain and Northern Ireland	GB
Greece	GR

Country	Code
Greenland	GL
Grenada	GD
Grenadines (Saint Vincent and the Grenadines)	VC
Guadeloupe	GP
Guatemala	GT
Guernsey (Channel Islands) (Great Britain and Northern Ireland)	GG
Guinea	GN
Guinea–Bissau	GW
Guyana	GY
Hainan Island (China)	CN
Haiti	HT
Hashemite Kingdom (Jordan)	JO
Hervey, Cook Islands (New Zealand)	NZ
Hivaoa (French Polynesia)	PF
Holland (Netherlands)	NL
Honduras	HN
Hong Kong	HK
Huahine (French Polynesia)	HM
Huan Island (New Caledonia)	HN
Hungary	HU
Iceland	IS
India	IN
Indonesia	ID
Iran	IR
Irian Barat (Indonesia)	ID
Isle of Man	IM
Isle of Pines (New Caledonia)	NC
Isle of Pines, West Indies (Cuba)	CU
Israel	IL
Issas (Djibouti)	DJ
Italy	IT

Country	Code
Ivory Coast (Cote d'Ivoire)	CI
Iraq	IQ
Jersey	JE
Jamaica	JM
Jordan	JO
Johore (Malaysia)	MY
Japan	JP
Kalymnos (Greece)	GR
Kampuchea (Cambodia)	CO
Karpathos (Greece)	GR
Kassos (Greece)	GR
Kazakhstan	KZ
Kedah (Malaysia)	MY
Keeling Islands (Australia)	AU
Kelantan (Malaysia)	MY
Kenya	KE
Kiribati	KI
Korea, Democratic People's Republic of	KP
Korea, Republic of	KR
Kos (Greece)	GR
Kosovo, Republic of	RS
Kowloon (Hong Kong)	HK
Kuwait	KW
Kyrgyzstan	KG
Labrador (Canada)	CA
Laos People's democratic Republic	LA
Latvia	LV
Labuan (Malaysia)	MY
Lebanon	LB
Leipsos (Greece)	GR
Leros (Greece)	GR
Les Saints Island (Guadeloupe)	GP

Country	Code
Liberia	LR
Lesotho	LS
Libya	LY
Liechtenstein	LI
Lithuania	LT
Lord Howe Island (Australia)	AU
Loyalty Islands (New Caledonia)	NC
Luxembourg	LU
Macao	MO
Macau (Macao)	MO
Macedonia, the former Yugoslav Republic of	MK
Madagascar	MG
Madeira Islands (Portugal)	PT
Malacca (Malaysia)	MY
Malawi	MW
Malaysia	MY
Maldives	MV
Mali	ML
Malta	MT
Manahiki (New Zealand)	NZ
Manchuria (China)	CN
Manitoba (Canada)	CA
Marie Galante (Guadeloupe)	GP
Marquesas Islands (French Polynesia)	PF
Martinique	MQ
Mauritania	MR
Mauritius	MU
Mayotte (France)	FR
Melilla (Spain)	ES
Mexico	MX
Miquelon (Saint Pierre and Miquelon)	PM
Moheli (Comoros)	KM

Country	Code
Moldova, Republic of	MD
Monaco	MC
Mongolia	MN
Montenegro	ME
Montserrat	MS
Moorea (French Polynesia)	PF
Morocco	MA
Mozambique	MZ
Muscat (Oman)	OM
Myanmar (Burma)	MM
Namibia	NA
Nansil Islands (Japan)	JP
Nauru	NR
Negri Sembilan (Malaysia)	MY
Nepal	NP
Netherlands	NL
Nevis (Saint Kitts and Nevis)	KN
New Britain (Papua New guinea)	PG
New Brunswick (Canada)	CA
New Caledonia	NC
New Hanover (Paoua New Guinea)	PG
New Hebrides (Vanuatu)	VU
New Ireland (Papua New Guinea)	PG
New South Wales (Australia)	AU
New Zealand	NZ
Newfoundland (Canada)	CA
Nicaragua	NI
Niger	NE
Nigeria	NG
Nissiros (Greece)	GR
Niue	NU
Norfolk Island	NF

Country	Code
North Borneo (Malaysia)	MY
North Korea	KP
Northern Ireland (Great Britain and Northern Ireland)	GB
Northwest Territory (Canada)	CA
Norway	NO
Nova Scotia (Canada)	CA
Nukahiva (French Polynesia)	PF
Nukunonu (Samoa)	WS
Ocean Island (Kiribati)	KI
Okinawa (Japan)	JP
Ontario (Canada)	CA
Oman	OM
Pakistan	PK
Palmerston, Avarua (New Zealand)	NZ
Panama	PA
Papua New Guinea	PG
Paraguay	PY
Parry, Cook Islands (New Zealand)	NZ
Patmos (Greece)	GR
Pemba (Tanzania)	TZ
Penang (Malaysia)	MY
Penghu Islands (Taiwan)	TW
Penon de Velez de la Gomera (Spain)	ES
Penrhyn, Tongareva (New Zealand)	NZ
Perak (Malaysia)	MY
Perlis (Malaysia)	MY
Persia (Iran)	IR
Peru	PE
Pescadores Islands (Taiwan)	TW
Petite Terre (Guadeloupe)	GP
Philippines	PH

Country	Code
Poland	PL
Pitcaim	PN
Puerto Rico	PR
Prince Edward Island (Canada)	CA
Portugal	PT
Pukapuka (New Zeland)	NZ
Qatar	QA
Qubec (Canada)	CA
Queensland (Australia)	AU
Quemoy (Taiwan)	TW
Raiatea (French Polynesia)	PF
Rakaanga (New Zealand)	NZ
Rarotonga, Cook Islands (New Zealand)	NZ
Ras al Kaimah (United Arab Emirates)	AE
Redonda (Antigua and Barbuda)	AG
Reunion	RE
Rio Muni (Equatorial Guinea)	GN
Rodos (Greece)	GR
Rodrigues (Mauritius)	MU
Romania	RO
Rwanda	RW
Russian Federation	RU
Rwanda	RW
Saba (Bonaire, Sint Eustatius, and Saba)	SA
Sabah (Malaysia)	MY
Saint Barthelemy (Guadeloupe)	BL
Saint Bartholomew (Guadeloupe)	BL
Saint Helena	SH
Saint Kitts and Nevis	KN
Saint Lucia	LC
Saint Martin (French) (Guadeloupe)	MF
Saint Pierre and Miquelon	PM



Country	Code
Saint Vincent and the Grenadines	VC
Sainte Marie de Madagascar (Madagascar)	MG
Salvador (El Salvador)	SV
Samoa	WS
San Marino	SM
Santa Cruz Islands (Solomon Islands)	SB
Sao Tome and Principe	ST
Sarawak (Malaysia)	MY
Sark (Channel Islands) (Great Britain and Northern Ireland)	GB
Saskatchewan (Canada)	CA
Saudi Arabia	SA
Savage Island, Niue (New Zealand)	NZ
Savaii Island (Samoa)	WS
Scotland (Great Britain and Northern Ireland)	GB
Seberang Perai (Malaysia)	MY
Selangor (Malaysia)	MY
Senegal	SN
Serbia, Republic of	RS
Seychelles	SC
Sharja (United Arab Emirates)	AE
Shikoku (Japan)	JP
Sierra Leone	SL
Sikkim (India)	IN
Singapore	SG
Sint Eustatius (Bonaire, Sint Eustatius, and Saba)	SE
Solomon Islands	SB
Seychelles	SC
Sudan	SD
Sweden	SE
Singapore	SG
Saint Helena, Ascension and Tristan da Cunha	SH

Country	Code
Sint Maarten	SX
Slovakia	SK
Slovenia	SI
Society Islands (French Polynesia)	PF
Solomon Islands	SB
Somali Democratic Republic (Somalia)	SN
Somalia	SO
Somaliland (Somalia)	SO
South Africa	ZA
South Australia (Australia)	AU
South Georgia (Falkland Islands)	FK
South Korea (Korea, Republic of)	KR
Spain	ES
Spitzbergen (Norway)	NO
Sri Lanka	LK
Sudan	SD
Suriname	SR
Suwarrow Islands (New Zealand)	NZ
Swan Islands (Honduras)	HN
Swaziland	SZ
Sweden	SE
Symi (Greece)	GR
Syrian Arab Republic (Syria)	SY
Swaziland	SZ
Symi (Greece)	GR
Syrian Arab Republic (Syria)	SY
Tahaa (French Polynesia)	PF
Tahiti (French Polynesia)	PF
Taiwan, Province of China	TW
Tajikistan	TJ
Tanzania	TZ
Tasmania (Australia)	AU

Country	Code
Tchad (Chad)	TD
Thailand	TH
Thursday Island (Australia)	AU
Tibet (China)	CN
Tilos (Greece)	CR
Timor (Indonesia)	ID
Timor-Leste, Democratic Republic of	TL
Trinidad and Tobago	TT
Togo	TG
Tokelau	TK
Tonga	TO
Tongareva (New Zealand)	NZ
Tori Shima (Japan)	JP
Torres Island (Vanuatu)	VU
Trans-Jordan, Hashemite Kingdom (Jordan)	JO
Transkei (South Africa)	ZA
Trengganu (Malaysia)	MY
Tripolitania (Libya)	LY
Tristan da Cunha	TA
Trucial States (United Arab Emirates)	AE
Tuamotou (French Polynesia)	PF
Tubuai (French Polynesia)	PF
Tunisia	TN
Turkmenistan	TM
Turks and Caicos Islands	TC
Türkiye	TR
Tuvalu	TV
Ukraine	UA
Uganda	UG
Umm al Quaiwain (United Arab Emirates)	AE
Umm Said (Qatar)	QA
United Arab Emirates	AE

Country	Code
United Kingdom (Great Britain and Northern Ireland)	GB
Upolu Island (Samoa)	WS
United States of America	US
Uruguay	UY
Uzbekistan	UZ
Vatican City	VA
Venezuela, Bolivarian Republic of	VE
Victoria (Australia)	AU
Viet Nam	VN
Virgin Islands (British)	VG
Wales (Great Britain and Northern Ireland)	GB
Vanuatu	VU
Wallis and Futuna	WF
Wellesley, Province (Malaysia)	MY
West New Guinea (Indonesia)	PG
Western Australia (Australia)	AU
Yemen	YE
Yukon Territory (Canada)	CA
Zafarani Islands (Spain)	SB
Zambia	ZM
Zanzibar (Tanzania)	TZ
Zimbabwe	ZW

### 6.3 Appendix C - Categories for International Shipping Regulatory Mandates

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Appliances, Parts & Accessories	<ul style="list-style-type: none"> <li>• Air Compressors</li> <li>• Bathroom Appliances</li> <li>• Clothing Iron</li> <li>• Coffee Makers, Toasters &amp; Other Heat-generating Kitchen Appliances</li> <li>• Cutting Blades</li> <li>• Fans</li> <li>• Food Grinders</li> <li>• Heaters, Radiators &amp; Air Conditioning Units</li> <li>• Mechanical Kitchen Appliances</li> <li>• Microwave Ovens</li> <li>• Other Household Appliances</li> <li>• Other Kitchen Appliances</li> <li>• Oven, Cooktops &amp; Ventilating Hoods</li> <li>• Refrigerators &amp; Freezers</li> <li>• Sewing Machines</li> <li>• Sinks, Toilets &amp; Bathtubs</li> <li>• Vacuum Cleaners</li> <li>• Washing Machines &amp; Dryers</li> <li>• Weighing Scales</li> </ul>
Arts & Collectibles	<ul style="list-style-type: none"> <li>• Antique Hand-Painted &amp; Hand-Drawn Art</li> <li>• Antiques Over 100 Years Old</li> <li>• Archaeological, Zoological &amp; Historical Collector's Pieces</li> <li>• Art Paint &amp; Brushes</li> <li>• Art Prints</li> <li>• Blank Art Canvas</li> <li>• Coin</li> <li>• Hand-Painted &amp; Hand-Drawn Art</li> <li>• Non-Original Wooden Art</li> <li>• Original Prints &amp; Engravings</li> <li>• Original Sculptures &amp; Carvings</li> <li>• Sewing Materials</li> <li>• Stamp Collections</li> <li>• Statuettes and Ornaments</li> </ul>
Automotive & Vehicles	<ul style="list-style-type: none"> <li>• Aircraft &amp; Parts</li> <li>• Bicycles &amp; Accessories</li> <li>• Car, Truck &amp; Tractor Parts</li> <li>• Cranes</li> <li>• Diesel-powered Cars &amp; Trucks</li> <li>• Electric Cars &amp; Trucks</li> <li>• Gas-powered Cars &amp; Trucks</li> <li>• Motorcycle &amp; Bicycle Parts</li> <li>• Motorcycles</li> <li>• Railway &amp; Tramway Vehicles &amp; Parts</li> <li>• Scooters &amp; Chairs for the Disabled &amp; Parts</li> <li>• Ship &amp; Boat Parts</li> <li>• Ships &amp; Boats</li> <li>• Spacecraft &amp; Parts</li> <li>• Special Vehicles (e.g., Fire Trucks, Cement Mixers, etc.)</li> <li>• Tractors &amp; Work Trucks</li> <li>• Trailers</li> </ul>

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Beauty & Health	<ul style="list-style-type: none"> <li>• Air Fresheners &amp; Incense</li> <li>• Bath &amp; Hand Soap</li> <li>• Bath salts</li> <li>• Contact Lenses</li> <li>• Contraceptives</li> <li>• Dental Fittings &amp; Hygiene</li> <li>• Feminine Hygiene</li> <li>• Hair Cutting Tools</li> <li>• Hair Dryers, Straighteners &amp; Curlers</li> <li>• Make-up</li> <li>• Manicure &amp; Pedicure Sets</li> <li>• Massage Tools</li> <li>• Medicine, Ointments, First Aid &amp; Bandages</li> <li>• Other Hygiene</li> <li>• Pedometer</li> <li>• Perfume &amp; Deodorant</li> <li>• Personal Medical Equipment</li> <li>• Shampoo &amp; Hair Products</li> <li>• Shaving &amp; Waxing</li> <li>• Vaccines, Blood, &amp; Cell Cultures</li> </ul>
Books, Movies & Music	<ul style="list-style-type: none"> <li>• Books &amp; Brochures</li> <li>• Catalogs</li> <li>• Coloring Books</li> <li>• DVDs, CDs, Tapes &amp; Other Recorded Media</li> <li>• Maps &amp; Globes</li> <li>• Music Boxes</li> <li>• Musical Instruments &amp; Parts</li> <li>• Newspapers, Journals &amp; Magazines</li> <li>• Printed Decals</li> <li>• Sheet Music</li> </ul>
Clothing & Accessories	<ul style="list-style-type: none"> <li>• Baby Clothes</li> <li>• Belts &amp; Buckles</li> <li>• Fabric Material</li> <li>• Glasses &amp; Sunglasses</li> <li>• Gloves and Mittens</li> <li>• Hats &amp; Headgear</li> <li>• Hoodies, Sweaters &amp; Cardigans</li> <li>• Luggage, Backpacks, Bags &amp; Wallets</li> <li>• Men's &amp; Boys' Jackets, Shirts &amp; Suits</li> <li>• Men's &amp; Boys' Pants &amp; Swimwear</li> <li>• Men's &amp; Boys' Underwear &amp; Pajamas</li> <li>• Other Clothing Accessories</li> <li>• Shoes &amp; Accessories</li> <li>• Socks, Pantyhose &amp; Tights</li> <li>• Ties &amp; Scarves</li> <li>• Used Clothing</li> <li>• Wigs &amp; False Hair</li> <li>• Women's &amp; Girls' Jackets, Shirts &amp; Dresses</li> <li>• Women's &amp; Girls' Pants, Skirts &amp; Swimwear</li> <li>• Women's &amp; Girls' Underwear &amp; Pajamas</li> </ul>

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Electronics, Computers & Cameras	<ul style="list-style-type: none"> <li>• Audio-playing Devices</li> <li>• Batteries &amp; Power Banks</li> <li>• Cables &amp; Connectors</li> <li>• Cameras, Video Cameras &amp; Parts</li> <li>• Chargers</li> <li>• Computer Parts &amp; Accessories</li> <li>• Device Cases &amp; Bags</li> <li>• DVD &amp; Blu-ray Players</li> <li>• Gift, Credit &amp; Smart Cards</li> <li>• GPS Devices &amp; Radios</li> <li>• Laptops &amp; Desktops</li> <li>• Electrical Parts</li> <li>• Smoke Detectors &amp; Alarms</li> <li>• Speakers, Headphones &amp; Microphones</li> <li>• Streaming Service Devices</li> <li>• Telephones &amp; Smartphones</li> <li>• Televisions &amp; Projectors</li> <li>• Traffic &amp; Safety Signal Equipment</li> <li>• Video Game Consoles &amp; Games</li> </ul>
Food & Groceries	<ul style="list-style-type: none"> <li>• Alcoholic Beverages</li> <li>• Baby Formula</li> <li>• Chocolate &amp; Cocoa Products</li> <li>• Coffee, Tea &amp; Mate</li> <li>• Dairy &amp; Eggs</li> <li>• Extracts &amp; Concentrates</li> <li>• Fats &amp; Oils</li> <li>• Fruit</li> <li>• Fruit &amp; Nut Mix</li> <li>• Grains &amp; Flour</li> <li>• Jams &amp; Jellies</li> <li>• Live Fish &amp; Seafood</li> <li>• Meat &amp; Fish</li> <li>• Nuts</li> <li>• Other Food Items</li> <li>• Sauces</li> <li>• Soda &amp; Other Drinks</li> <li>• Soups &amp; Broths</li> <li>• Spices &amp; Sugar</li> <li>• Syrup &amp; Molasses</li> <li>• Tobacco Products &amp; E-cigarettes</li> <li>• Treats</li> <li>• Vegetables &amp; Other Plants</li> </ul>

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Home & Garden	<ul style="list-style-type: none"> <li>• Adhesives &amp; Tape</li> <li>• Animal Hides &amp; Parts</li> <li>• Artificial Plants &amp; Flowers</li> <li>• Bedding &amp; Towels</li> <li>• Candles</li> <li>• Clocks &amp; Parts</li> <li>• Clothing Hangers</li> <li>• Containers &amp; Baskets</li> <li>• Curtains</li> <li>• Electric Kitchen Appliances</li> <li>• Furniture</li> <li>• Household Cleaners &amp; Trash Bags</li> <li>• Lamps &amp; Lighting</li> <li>• Live Plants &amp; Fresh Flowers</li> <li>• Mirrors</li> <li>• Other Household Items</li> <li>• Other Outdoor &amp; Garden Items</li> <li>• Rugs &amp; Mats</li> <li>• Sacks &amp; Bags</li> <li>• Safes &amp; Strong-boxes</li> <li>• Statuettes &amp; Other Decor</li> <li>• Tableware &amp; Kitchenware</li> <li>• Toilet Paper, Napkins &amp; Tablecloths</li> </ul>



Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Industrial, Scientific & Machinery	<ul style="list-style-type: none"> <li>• Agricultural &amp; Food Machinery</li> <li>• Batteries &amp; Accumulators</li> <li>• Buttons &amp; Mannequins</li> <li>• Dies &amp; Tanning Extracts</li> <li>• Electric Parts, Electronic Waste &amp; Scrap</li> <li>• Energy-generating Equipment</li> <li>• Explosives &amp; Combustibles</li> <li>• Industrial Animal Products</li> <li>• Industrial Furnaces &amp; Ovens</li> <li>• Industrial Glass Items</li> <li>• Industrial Metal Items</li> <li>• Industrial Plastic Items</li> <li>• Industrial Rubber Items</li> <li>• Industrial Stone &amp; Cement Items</li> <li>• Industrial Textile Items</li> <li>• Industrial Vacuum Cleaners</li> <li>• Industrial Washers &amp; Dryers</li> <li>• Industrial Wood Items</li> <li>• Laboratory Equipment</li> <li>• Magnets</li> <li>• Measuring Equipment</li> <li>• Medical Equipment</li> <li>• Metal-working Machinery</li> <li>• Motors &amp; Generators</li> <li>• Moulds</li> <li>• Navigation &amp; Surveying Equipment</li> <li>• Ores, Mineral Fuels &amp; Oils</li> <li>• Organic Compounds</li> <li>• Other Chemical Products</li> <li>• Other Electrical Machinery &amp; Parts</li> <li>• Other Industrial Machinery</li> <li>• Other Industrial Machinery Parts</li> <li>• Other Minerals &amp; Stone</li> <li>• Packing Materials &amp; Containers</li> <li>• Precious Metal Compounds &amp; Inorganic Chemicals</li> <li>• Printing &amp; Paper Machinery</li> <li>• Railway Materials</li> <li>• Semiconductor-producing Machinery</li> <li>• Textile Machinery</li> <li>• Transformers</li> <li>• Vegetative Materials</li> <li>• Vending Machines</li> <li>• Welding Equipment</li> </ul>
Jewelry & Watches	<ul style="list-style-type: none"> <li>• Imitation Jewelry &amp; Parts</li> <li>• Jewelry Boxes &amp; Cases</li> <li>• Jewelry of Pearls or Precious Metal &amp; Parts</li> <li>• Pearls &amp; Precious Stones</li> <li>• Precious Metals</li> <li>• Watches &amp; Parts</li> </ul>

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Office Products	<ul style="list-style-type: none"> <li>• Account Books, Receipt Books &amp; Binders</li> <li>• Adhesive &amp; Tape</li> <li>• Calculators</li> <li>• Calendars</li> <li>• Chalkboards &amp; Dry Erase Boards</li> <li>• Documents &amp; Business Cards</li> <li>• Erasers</li> <li>• Filing Cabinets &amp; Trays</li> <li>• Letter Openers</li> <li>• Other Mathematical Tools</li> <li>• Other Plastic School Supplies</li> <li>• Paper &amp; Paperboard</li> <li>• Pencil Sharpeners, Staplers &amp; Other Office Machines</li> <li>• Pens &amp; Pencils</li> <li>• Printers &amp; Ink</li> <li>• Safety Pins, Paper Clips &amp; Staples</li> <li>• Scissors</li> <li>• Stamps</li> </ul>
Pet Supplies	<ul style="list-style-type: none"> <li>• Cages &amp; Accessories</li> <li>• Fish Tanks, Terrariums &amp; Accessories</li> <li>• Food Bowls</li> <li>• Leashes, Harnesses &amp; Saddles</li> <li>• Litter Box</li> <li>• Pet Beds</li> <li>• Pet Food</li> <li>• Pet Toys</li> </ul>
Sports & Outdoors	<ul style="list-style-type: none"> <li>• Air Mattresses &amp; Sleeping Bags</li> <li>• Air Pumps</li> <li>• Binoculars &amp; Telescopes</li> <li>• Camping Backpacks &amp; Sports Bags</li> <li>• Compasses</li> <li>• Firearms &amp; Weapons</li> <li>• Firewood &amp; Charcoal</li> <li>• Fireworks &amp; Flares</li> <li>• Fishing Gear</li> <li>• Grills &amp; Stoves</li> <li>• Hammocks</li> <li>• Lamps &amp; Flashlights</li> <li>• Matches &amp; Lighters</li> <li>• Pans &amp; Dutch Ovens</li> <li>• Sports Equipment &amp; Balls</li> <li>• Tents, Tarps &amp; Rope</li> <li>• Umbrellas</li> <li>• Walking Sticks &amp; Whips</li> <li>• Water Sports</li> <li>• Winter Sports</li> </ul>

Category (<ItemCategory>)	SubCategory (<ItemSubCategory>)
Tools & Construction materials	<ul style="list-style-type: none"> <li>• Carpet, Flooring and Tile</li> <li>• Doors &amp; Windows</li> <li>• Hand Tools</li> <li>• Lawn Equipment</li> <li>• Lumber &amp; Furniture Wood</li> <li>• Metal Mountings</li> <li>• Moulding Patterns &amp; Engineering Drawings</li> <li>• Nails, Screws &amp; Bolts</li> <li>• Other Equipment</li> <li>• Other Metal Equipment</li> <li>• Paint, Varnish &amp; Paint Thinner</li> <li>• Pipes &amp; Hoses</li> <li>• Power Tools &amp; Parts</li> <li>• Pulleys, Winches &amp; Generators</li> <li>• Pumps, Compressors &amp; Generators</li> <li>• Roofing</li> <li>• Safety Gear &amp; Scaffolding</li> <li>• Stone, Gravel &amp; Brick</li> <li>• Tape, Construction Adhesive &amp; Putty</li> <li>• Wire &amp; Rods</li> </ul>
Toys & Games	<ul style="list-style-type: none"> <li>• Amusement Park Equipment</li> <li>• Arcade Games</li> <li>• Games &amp; Puzzles</li> <li>• Other Toys</li> <li>• Wheeled Toys</li> </ul>